EAST ENGINE THE

utting Tools—p. 28
Literary

razilia4 Iron Ore—p. 34

tanium Alloys—p. 41


pundry Aptitude Tests—p. 44

dustrial News Summary—p. 68

on Ore Puzzle—p. 71

coasison of Prices—p. 94 JAN 5 1949

DECEMBER 30, 1948



ALLEY MOULD &

General Offices: HUBBARD, OHIO

Western Office: Chicago, Ill.

Northern Office: Cleveland, O.



As the white outline indicates, a standard unit of nearly twice the frame size would be required to do the work of Speedaire.

saved with Dollars .

On this Oscillating Granulator, product of a well-known builder, Speedaire effects a three builder, Speedaire effects a three saving: 1. 16% is saved on the cost of each reducer, as compared to

way saving:

2. Space saved by using Speedaire reduces the overall length

and width of the machine pase.

3. Use of Speedaire saves 110 pounds weight, reduces shipping Speedaire is Cleveland's new fan-cooled worm-kear speed Speedaire is Cleveland's new tan-cooled worm-kear speed reducer. Because Speedaire is fan-cooled, it will do more units and deliver up to double the horsehouser of standard worm units. educer. Because Speedaire is fan-cooled, it will do more work and deliver up to double the horsepower of standard worm units of equal frame size of usual matter speeds. Speedaire can be in —and deliver up to double the horsepower of standard worm units of equal frame size, at usual motor speeds. Speedaire can be inot equal trame size, at usual motor speeds. Speedaire can be in-stalled economically on many applications where other types have been used beretofore—giving you the advantages of a comstatled economically on many applications where other types have been used heretofore—giving you the advantages of a combave been used heretofore—giving you the advantages of a combave been used heretofore—Sneedaire gives the same long. have been used heretotore—giving you the advantages of a com-pact right-angle drive. Of course, Speedaire gives the same long,

pact right angle drive, Of course, Speedaire gives the strouble-free service characteristic of all Clevelands. Ouble-tree service characteristic of an eleveration to figure

Catalog 300 describes Speedaire—enables you to figure

Catalog 300 describes for your equipment Send for a conv. Catalog 300 describes Speedaire—enables you to figure quickly the proper sizes for your equipment. Send for a Copy. The Cleveland Worm & Gear Company, 3252 East 80th Street, Cleveland 4. Ohio. Cleveland 4, Onto.

Affiliate: The Farval Corporation, Centralized Systems of LubricaAffiliate: The Parval Corporation, Centralized Systems of Lubrication. In Canada: Peacock Brothers Limited.


Cleveland 4, Ohio.



THE IRON AGE, published every Thursday by the CHILTON CO. (INC.), Chestnut and 56th Sts., Philadelphia 39, Pa. Entered as second class matter Nov. 8, 1932, at the Post Office at Philadelphia under act of March 3, 1879. 88 yearly in United States, its territories and Canada; other Western Hemisphere Countries \$15; other Foreign Countries \$20 per year. Single Copies 35c. Annual Review Number, \$2.00. Vol. 162, No. 27.

How many of these wire products can you name

See how many of these gadgets you can match correctly with their names shown at the right. The correct answers, given by number, are shown at the bottom of the page. No peeking!



Cherry Pitter

Hot-Pan Holder

Drain Opener

Cravat Rack

Downspout Strainer

Egg Separator

Squeegee

It may not be easy to identify all these products made from steel wire. But it is easy enough to see why steel is so often the material selected for wire products.

Steel wire is strong, wear-resisting, economical. Whether you want to cold-head it, draw it, or form it, steel wire is easily adapted to fast, modern methods of forming. Nothing else can provide such a wide range of physical and mechanical properties.

Making virtually all kinds of steel wire is one of our specialties. In our modern wire mills at Sparrows Point, Md., and Johnstown, Pa., we produce carbon steel wire in both standard and special grades, and in widely varying compositions and properties.

In fact we've made steel wire for so many different applications that the wire you need is probably a grade and quality we have furnished recently. We're working at capacity to keep up with orders, but that's no reason why you should hesitate to call on us for help in developing your wire products. Perhaps our experience can be of real assistance to you right now.

BETHLEHEM STEEL COMPANY, BETHLEHEM, PA.

On the Pacific Coast Bethlehem products are sold by
Bethlehem Pacific Coast Steel Corporation
Export Distributor: Bethlehem Steel Export Corporation

BETHLEHEM WIRE



4, Craval Rack 5 Cherry Pitter 6, Squeegee 7, Egg Separator

2. Hot-Pan Holder 3. Downspout Strainer



SIZE—33½" x 13½"
WEIGHT—12¾ 1b.
WEIGHT—Chromium of the RB5—070'
FINEST THICKNESS OF THE RB5—070'
WALL THICKNESS OPENINGS CORED
CORING—All grille ALLOY
STRENGTH OF THE ALLOY
STRENGTH 40,000 lbs. impact—1/4" bar
Over 40,000 lbs. impact—1/4" bar

another successful product designed for ZINC DIE CASTING

The radiator grilles of many of the current cars are built-up assemblies of die cast parts, but this particular design—for the 1949 Nash Airflyte— is a one-piece zinc die casting. Not only does a die casting meet the physical and mechanical requirements of this design (see tag on casting), but it consumes a minimum amount of metal.

The grille casting is shown from the rear to reveal the clever coring of the horizontal and vertical ribs. The ribs thus appear to be solid sections when viewed from the front, but the coring effects a considerable saving in both metal and weight—with no sacrifice of strength! This grille is tailored to fit the car instead of vice-versa and its inherent dimensional accuracy greatly reduces assembly problems. Note, also, the cast assembly bosses.

This is just one of many successful applications for zinc die castings in the automotive industry. Typical applications in other fields of manufacture will be covered in future advertisements in these pages.

SEND FOR THIS BOOKLET

A new booklet—just off the press—has 64 pages of photographs depicting zinc die castings in the assembly of a wide variety of products in many fields. Send for your copy today!



THE NEW JERSEY ZINC COMPANY, 160 Front St., New York 7, N. Y.

The Research was done, the Alloys were developed, and most Die Castings are based on

HORSE HEAD SPECIAL

(99.99 + %) (Uniform Quality) ZING

Fills Every Need for V-Belt Drives!



TEXDRIVE SHEAVES Cast Iron with 1 to 6 grooves for A and B belts. 1 to 25 h. p. All sizes from stock.

luct

ING

ALLOYS

on



VARI-PITCH WIDE RANGE SHEAVES

Speed range up to 100%. 1 to 4 grooves, Q and R belts, fractional to 30 horsepower. Delivery good. nearest District Office or Texrope dealer.



TEXSTEEL SHEAVES Welded pressed steel with rolled edges. 1 to 6 grooves, A or B belts. 1/4 to 25 horsepower. All sizes from stock.



STANDARD CAST IRON SHEAVES

Made to order from stock patterns. 1 to 14 grooves, A, B, C, D, or E belts, 1 to 1000 horsepower. Delivery good. Call your nearest District Office or Texrope dealer.



TEXROPE SUPER-7 V-BELTS Wide range of types, sizes and sections to suit all operating conditions. All standard



MAGIC-GRIP SHEAVES Semi-steel with patented taper bushing. On and off in 2 to 12 grooves, B, C, or D belts, 2 to 250 horsepower. All sizes from stock.



SPECIAL CAST IRON AND STEEL SHEAVES

Any number of grooves for A, B, C, D, or E belts. Up to 6000 horsepower. Delivery good. Call your nearest District Office or Texrope dealer.



TEX-IRON, SHEAVES

Light weight single groove sheave for fractional horsepower applications. All sizes from stock.



VARI-PITCH STANDARD SHEAVES

Speed range 9% to 28%. 2 to 10 grooves, A, B, C, D, or E belts, 1 to 300 horsepower. Stationary or Motion Control. Delivery good. Call your nearest District Office or Texrope dealer.



VARI-PITCH SPEED CHANGERS

Speed range to 375%. 11/2 to 75 horsepower. Single handwheel controls speed. Delivery good. Call your nearest Dis-trict Office or Texrope dealer.

Best Delivery in the Industry!

NOW YOU CAN GET nearly every standard V-belt drive component from Texrope stocks. Even on non-stock items, Texrope delivery is the best in the industry. And Texrope is the only brand that meets every V-belt need.

Selecting a drive is as easy as looking up a telephone number in the 144 page Texrope Pre-Engineered Drive book. Covers 90% of all V-belt drives. Write today for Bulletin 20 B 6956 or see your nearest Allis-Chalmers Authorized Dealer or District Office. Also listed in Sweet's.

ALLIS-CHALMERS, 1019A SO. 70 ST. MILWAUKEE, WIS.

Texrope, Super-7, Vari-Pitch. Magic - Grip, Tex - Iron, Tex -steel and Texdrine are Allis-Chalmers Trademarks.

Texrope Super-7 V-belts result from the cooperative research of Allis-Chalmers and B. F. Good-rich; and are sold only by A-C dealers and offices.



Originators of the Multiple V-belt Drive for Industry



Talk about production! Here's picture-proof of reciprocal milling on a standard knee-type Kearney & Trecker 30 hp No. 3 CSM machine with Automatic Table Cycle and Mono-Lever

control. Using Automatic Table Cycle, machine turns out hundreds of these forged parts with operator merely loading and unloading workpieces. Actual savings 31%.

Plain Facts Prove Why...THESE TIME UP TO 31% - PAY

HOW JOB IS DONE

USING AUTOMATIC TABLE CYCLE AND MONO-LEVER CONTROL

LOADING
STATION A

REVERSI AND DOGS

RATE DOG

LOOK AT THE JOB at left—the diagram tells how it's done. Table feed screw with adjustable nut eliminates backlash, so climb and conventional cuts are taken with equal ease. Cycle pre-set to fit operator's required load and unload time.

Stop and reverse dogs reverse table in rapid traverse to point of cut an workpiece (A

"How can you reduce floor to floor time on nearly all types of general purpose milling operations?"

Kearney & Trecker's research and development—always directed at getting greater production at lower costs—found a new answer to that question. It's Kearney & Trecker's new line of standard knee types with Automatic Table Cycle and Mono-Lever control.


They simplify hand control of the table to the simple movement of ONE LEVER—thereby substantially reducing idle cutter time and operator fatigue. They combine the all-around versatility and working range of knee-type designs with the automatic, high production feature of bed types.

Of equal importance to you is the opportunity for proper machine selection. You neither overbuy nor under-buy, but you buy right when you choose from the 56 machines in this new Kearney & Trecker line. For some startling facts about these machines and their application to your milling work, consult a Kearney & Trecker Sales Representative today. He's been schooled in the "know-how" and he's at your service. For detailed information, contact him or write us direct. Ask for Catalog No. AC-10A. Kearney & Trecker Corp., 6784 W. National Ave., Milwaukee 14, Wis.



AUTOMATIC TABLE CYCLE and MONO-LEVER CONTROL UNIT AUTOMATIC RATE CHANGE CONTROL REVERSE PLUNGER REVERSE PLUNGER REVERSE RAPID TRAVERSE RIGHT

THINK OF IT! Now you can have all the advantages of this great cost-cutting feature plus the all-around versatility of general purpose, knee-type machines...faster, easier control for greater production with less operator fatigue.




THREE DIFFERENT TYPICAL CYCLES to accommodate various job setups. Using the completely automatic cycle feature effects savings of up to 31% for lots of 10 or more pieces. Cycle can be set for loading and unloading time — and can be reversed in feed or rapid traverse.

MACHINES CUT CYCLE
THEIR WAY FASTER!

ONE ALL OVEMENTS

s out hunpading and



Now...YOU CAN GET 3 IN LESS TIME THAN IS OFTEN

These 8 Production Reports May Suggest Big Savings For YOU

		000			11
Number	Part	Material	3 Pcs. Floor to Floor Time	Time per Piece	11
1	Third motion shaft	Stee! Forging	2.21 min.	44 sec.	1
2	Overdrive main shaft	SAE 4620	1.96 min.	39 sec.	
3	Crankshaft	Steel Casting	2.25 min.	45 sec.	
4	Sector Shaft	SAE 5132	.8 min.	15 sec.	1
5	Counter Shaft	SAE 4320	1st chg. 1.78 min. 2nd chg. 1.63 min.	36 sec.—1st chuck 32.6 sec.—2nd chuck	
6	Inner axle Shaft	SAE 4140	1.62 min.	32 sec.	28
7	Outer race Bell	SAE 4620	2.0 min.	40 sec.	3
8	Rear axle	SAE 8630H	2.30 min.	46 sec.	

BULLARD CREATES NEW METHODS TO MAKE

Model 30H Man-Au-Trol Horizontal Lathe Produces 3 Identical Pieces per Cycle

Model 30H BULLARD Man-Au-Trol Horizontal Lathe triples production on between-center shaft turning work by machining 3 finished pieces per cycle with its 3 identically tooled spindles. Simplified tooling for rough and finished cuts also reduces tooling costs. Multiple-tool blocks are provided when needed for grooving, recessing, chamfering, angle-turning and other such operations.

Finished Pieces
REQUIRED For 1



MACHINES DO MORE

AKE

Reports are now coming in from owners of BUL-LARD Man-Au-Troi Horizontal Lathes proving that this machine's unique "3 for 1" method really pays off in lower production costs. See the accompanying chart for some actual figures.

Reasons for the high productivity of the BULLARD Model 30H Lathe come under three general headings: the "3 for 1" principle, operator convenience, and Man-Au-Trol versatility.

"THREE PIECES FOR ONE"

By turning out three finished pieces per cycle with its three identically tooled spindles, the BULLARD Model 30H perceptibly reduces the time per piece.

EASIER TO OPERATE!

This is a right-handed machine with headstock and all operating controls conveniently located at the operator's right. Convenient control of the hydraulically operated chucks facilitates loading and unloading. That's all the work he does when Man-Au-Trol is in 100% automatic operation. The rest of his job is merely supervisory.


AMAZINGLY VERSATILE!

This is an automatic all-purpose machine, thanks to Man-Au-Trol, the automatic control that is as versatile as manual control. It's quick and easy to change from one job to any other because it is not cam-operated. Instantly convertible from automatic to manual control at the turn of a single lever, it is practical for long or short runs.

WANT ALL THE FACTS?

When you study the specifications of the Model 30H BULLARD Man-Au-Trol Horizontal Lathe, you'll agree that no other horizontal lathe offers you such a combination of productivity, convenience, versatility and performance. Write today. THE BULLARD COMPANY, Bridgeport 2, Connecticut.





How sweet music might help you solve problems in steel

The picture above shows the mechanism of an antique music box—a collector's item worth thousands of dollars. The finest of such music boxes were handmade by Swiss, German and Austrian craftsmen about 100 years ago. This box is one of many owned by George A. Bidden of Barrington, R. I., who like many people today makes a hobby of collecting these beautiful instruments. He has become expert in restoring them, in recapturing their virtually perfect tone.


But Mr. Bidden encountered a problem. He could no longer get from Switzerland the out-of-the-ordinary flat steel needed to dampen the tones in the comb teeth. In desperation he turned to our Athenia Steel Division, described his requirements, and in short order got specially-processed steel, perfect for his needs.

This is a story of unusual application, but is typical of Athenia service in the development and production of steel. So if you are a user of special-purpose steel . . . if the solution to a problem in quality, behavior, uniformity, control or application would be "music to your ears", it might pay you to see what Athenia specialists can do about it.



DIVISIONS OF NATIONAL-STANDARD CO.

ATHENIA STEEL, Clifton, N. J. . . . Flat, High Carbon, Cold Rolled Spring Steel
NATIONAL-STANDARD, Niles, Mich. . . . Tire Wire, Fabricated Braids and Tape
WAGNER LITHO MACHINERY, Jersey City, N. J., Lithographing and Special Machinery
WORCESTER WIRE WORKS, Worcester, Mass. . . Round Steel Wire, Small Sizes



Your plant garage -



is a fire-danger spot —



BEST PROTECTED BY Kidde PORTABLES



When trucks are being serviced—or filled with gasoline—your plant garage could be the scene of a fire causing serious damage to the building—perhaps total destruction of your trucks! Don't give garage fires a chance to spread—keep *Kidde** Portable Extinguishers right at hand!

With a *Kidde* Portable, you can act fast against fires in flammable liquids—or electrical wiring on trucks. Carbon dioxide

(CO₂) cannot damage equipment or materials, or corrode metal parts. And it leaves no unsightly mess to clean up—not even moisture!

All *Kidde* Portables, from the 2½-pound size to the 25-pounder, have TRIGGER-FINGER CONTROL—the simplest way known to operate an extinguisher. Ask a Kidde representative for full details.

*Also known as "LUX"



music s. The an and f many

many instruoturing

longer

ded to

ned to

nd in

thenia

are a

em in

ld be ecial-

teel

ape nery izes

ds.

The words "Kidde" and "Lux" and the Kidde seal are trade-marks of Walter Kidde & Company, Inc.

Kidde

Walter Kidde & Company, Inc.

1249 Main St., Belleville 9, N. J.

twe do.









We are manufacturers of steel. We make steel, process it and fabricate it into finished products.

 Our plants are strategically located to take advantage of skilled labor and natural sources of supply. When the need arises we work together as one self-contained unit.

> The combined skills of all Barium personnel and our combined facilities are brought to bear upon your problems when you buy Barium products.

Get acquainted with the Barium subsidiary which can best advise you on your problems and supply your needs ... or send your inquiry direct to 25 Broad Street. New York, and we will refer it to the Barium plant which can serve you best.

BARIUM STEEL CORPORATION

25 BROAD STREET, NEW YORK, N. Y.

BARIUM STEEL & FORGE, INC., Canton, Ohio BAYONNE BOLT CORP., Bayonne, N. J. CENTRAL IRON AND STEEL COMPANY, Harrisburg, Pc CLYDE IRON WORKS, INC., Duluth, Min THE CUYAHOGA SPRING COMPANY, Cleveland, Ohio THE DETROIT STEEL CASTING COMPANY, Detroit, Mich ERIE BOLT & NUT COMPANY, Erie. Po. THE GEOMETRIC STAMPING COMPANY, Cleveland, Ohi-GLOBE FORGE, INC., Syracuse, N. Y. KERMATH MANUFACTURING COMPANY, Detroit, Mich. KERMATH (CANADA) LTD , Toronto, Ontario, Canada PERMA-JACK CORP., Cleveland, Ohio PORCELAIN STEELS CORP., Cleveland, Ohio SHEFFIELD IRON & STEEL CO., Sheffield, Ala. WILEY MANUFACTURING COMPANY, Mountville, Pa WILEY MANUFACTURING COMPANY, Part Deposit, Mc







GRINDING & POLISHING MA



Grinding and polishing stainless steel on "HILL" 48" x 12' 2-Roll Vertical Abrasive Belt Hydraulic Table Sheet Machines

"HILL" 2-Roll Vertical Head design covers basically an upper steel idler roll and a lower rubber covered contact or work roll (both dynamically balanced) over which the abrasive belt travels. Endless coated abrasive belts 10'6" long are used on all "HILL" 2-Roll Vertical Grinding and Polishing Machines. Research and experience has proven this short belt to be considerably more economical and practical than longer belts generally used. Time consumed in changing belts is drastically reduced, and the cost of the 10'6" belt is decidedly lower.

The "HILL" Sheet Grinder and Polisher has a rugged, all fabricated steel table, actuated by 100% hydraulic drive, providing instantly variable speeds up to 100 f.p.m. Table widths are 36", 48" and 60"; lengths range from 60" to 240".


A test run to your specifications with the new, improved "HILL" Sheet Grinding and Polishing Machine will convince you that older type machines are obsolete from the standpoint of economy and efficiency. Bulletin GP-3 supplies additional details. When writing for information, please indicate size and specifications of stock to be finished.

"HILL" GRINDING AND POLISHING MACHINES • HYDRAULIC SURFACE GRINDERS • ALSO MANUFACTURERS OF "ACME" FORGING FHREADING - TAPPING MACHINES - "CANTON" ALLIGATOR SHEARS - PORTABLE FLOOR CRANES - "CLEVELAND" KNIVES - SHEAR BLADES

JUST ANOTHER DAY

With Gensco Specialized Steel Service

Every Gensco working day is one of many activities in bringing you the attention and service so important in steel purchases. Around the clock-from receipt of your phone call or orderuntil the steel is ready for your machines, Gensco Specialized Steel Service is working for you.



WE'RE AS CLOSE AS YOUR TELEPHONE WHEN



YOU CALL BELMONT 5-4266

COLD FINISHED BARS . SHAFTING . TEMPERED AND ANNEALED SPRING STEEL . DRILL ROD . SHIM STEEL . COLD ROLLED STRIP STEEL . COILS AND STRAIGHT LENGTHS . ROUND EDGED STRIP STEEL . FEELER GAUGE . ROUND WIRES . STEEL BALLS



GENERAL STEEL WAREHOUSE CO., INC. * 1830 N. Kostner Ave., Chicago 39, III.

OTHER OFFICES

- # CINCINNATI Dunbar 5174
- * MILWAUKEE Broadway 2-7629
- + ST. LOUIS Wydown 1368
- * NEW YORK Vanderbilt 6-2750
- * MINNEAPOLIS Bridgeport 1119
- * GRAND RAPIDS Grand Rapids 3-6328

THE IRON AGE, December 30, 1948-15

METAL FABRICATOR CUTS COSTS 67 PER CENT -CAN YOU?



Get these facts to your key men and see how much you can save

- WITH ARC WELDING, a fabricator cut costs on one large metal part by 67%.
 WITH ARC WELDING, a truck builder slashed production on dump trailer bodies to an unprecedented 15 hours.

In your plant, too, savings like these in time and money are possible—when your key personnel know the up-to-the-minute facts on arc welding—know how to put them to work on your problems. And it's so easy to get the facts to them now—at no cost to you!

FREE to business management

FREE to business management Examine the General Electric Electric Arc Welding Manual free of charge. It covers every phase of arc welding from a list of everling services for the user to specific examples of production feats in plants like yours. It provides up-to-date data about available equipment, power supply requirements, design and safety measures. It's written by experts, without sales bias, in a language your men can easily understand. Look through it. Satisfy yourself that it will pay off in your plant, then—

Get a FREE showing of the film

Get a FREE showing of the film

Get a FREE showing of the film Your key personnel will enjoy learning the newest facts on are welding in this modern, absorbing, visual way. Here's a thirty-minute General Electric sound film in full color that wallops across its ideas—actually shows you precisely how are welding is building better products cheaper in plants like yours. It's prepared by arc-welding specialists in terms that are grasped readily. Show it to your key men and—

Get FREE review hooklets

Get FREE review booklets

They're ideal for individual study and review. Have as many as you like, but—

ACT NOW! Don't delay. Remember—today's are welding offers you unprecedented opportunities to cut costs, improve quality, lick difficult production problems. So start the and we'll rush you a copy of the G-Electric Arc Welding Manual. Do it now

Attach to your business letterhead General Elec Section N 68 Schenectady	4-9
Arc Weldin obligation, arrange for	me a sample copy of the G-E g Manual without cost or with details on how I can a FREE SHOWING of the copies at regular manual)
Name	Title
Company	
Street	
City.	

Fatigue Cracks BY C. T. POST

That Man Again

· · Had anyone known about it, the main office Christmas party of the American Bankers Association would have been considerably dampened. The stunning Christmas tree around which the bankers celebrated was a product of the Roosevelt tree farm straight from Hyde Park. When the truth finally leaked out, general comment was that the tree seemed to lose its needles pretty fast. Probably it wasn't used to the office atmosphere.

Christmas Present

· The circulation department of your favorite family journal hasn't made much noise about it, but this issue is the 53rd of 1948. No other weekly publication, to our knowledge, has bestowed such a handsome bonus upon its readers. No other publication, we're sure, loves its readers so deeply. Don't count on a similar beneficence for a few more years, though. Times are getting tough, and besides it's not every year that has 53 Thursdays.

Happy New Year

· Just at the stroke of midnight we are tipped off by Reader Keith Misegades as to the ideal guest for your New Year's Eve party, a man by the name of Wu Pe. Wu is celebrating issuance of Patent No. 2,456,080 on an ignition plug he invented. Sounds like a natural for setting off one of those noisy smoke bombs under the hood, just as the bride and groom leave on their honeymoon.

So?

· And to the list of surveys we're skeptical about: An Advertising Research Foundation study of readership. It sort of rocks us to learn that men like to look at pictures of men, women like to look at pictures of women. Sounds like our contemporary, Esquire, may not sell many calendars this year. And by the way, Borden, who do you think reads those ads about Elsie the Cow?

The Foundation also finds that women like to look at advertisements showing pictures of animals and babies, but adds that they should be used only if pertinent to the subject of the ad. Back you go, all you watery-eyed cocker spaniels, to the pages of Dog Supply Topics. You can stay, Junior, but you'll have to quit giving advice to daddy on buying a new car.

Thanks

· Today we're sending thanks to all our friends for the gifts they didn't send. Topping the list is a combination "knife, key bottleopener and corkscrew mounted with 14 kt. gold" which Tiffany advertised in the newspapers for \$86, including tax. Tiffany, we think, should stick to more practical items like the women's-pardon, ladies-14 kt. gold lipstick case set with diamonds. Only \$285.

Geewhillikens, we saved a lot of money this Christmas!

Grapes of Wrath

. By some circuitous route the December issue of Council Com-pass, published by the Council of Western Electric Technical Employees, has come to rest on our desk. We don't mean to dwell on the various difficulties that beset the Council in its relations with management. Far more intriguing is a reference to F. W. Schmidt, West-ern Electric's labor relations representative, as "a graduate engineer of 1913 vintage." H. L. Mencken would step on us

if we attempted to be prissy about this use of the word vintage, but in this case it seems unique. No implication of bibulousness is attributed to Mr. Schmidt by the Compass, which goes on to describe him as "suave, poised and affable," But vintage is something that you tread out. And if the Council is squeezing its grapes of wrath to prove that the technical employees are downtrodden, it certainly shouldn't use a word like that to describe a management representative.

There's the spark of a new slant on the engineering profession here though. Next time Junior asks us "Where do engineers come from, daddy?" we'll simply refer him to the Council and say, "They tread them out."

Aptronyms

• Charles C. Finn, the Seattle aptronymist, gulped when he saw the headline announcing the latest acquisition of the Milwaukee baseball team: "Brewers Buy Pitcher." No more guzzling from the tap.

A waiter of his acquaintance, Kenneth Leak, should have been a plumber. We crossed that off the "name fits" list until Finn explained that Leak was named when he was a tiny, little baby.

Dear Editor:

NODULAR IRON

Sir:

, but

ice to

mank-

they

ottle

with dver-

6, in-

hink

items

with

ot of

Comil of Em-

our n the

man-

is a Vest-

epreineer

bout

ut in

im-

trib-

om-

him

But

read

ieez-

rove

are

ldn't

be a

lant

here

s us

rom.

n to

read

saw test

aseer."

nce,

en a

the

ex-

hen

In Newsfront of the Oct. 21 issue, the statement is made that "recent research has suggested that magnesium may be superior to cerium for developing nodular graphite structures in cast iron. Best alloy to date appears to be a magnesium-copper with more than 50 pct copper," etc. Could you tell us the origin of this statement?

Chief Metallurgist, Research Dept.
L'Air Liquide Society
Montreal

The item was based on remarks from a paper presented by C. K. Donoho, chief metallurgist, American Cast Iron Pipe Co., Birmingham, at the American Foundrymen's Society regional conference at Lansing, Mich., on Oct. 1.—Ed.

MINNESOTA ORES

Sir:

The writer is connected with an estate and has been called upon to determine whether the estate should accept an offer, made by a mining company, to lease property owned by the estate for iron mining operations. Being unfamiliar with this type of work, I am communicating with you in the hope that you will refer me to sources of information.

Specifically, could you tell me where to find the prices paid for iron ore f.o.b. Cuyuna, Minn., during the past 10 years? And could you refer me to a source where I might obtain information as to whether other ores besides iron ore exist in Crow Wing County, Minn.?


CHARLES K. ELLIOTT Anderson, Davis & Platte, Inc. New York

• Price f.o.b. upper lake ports is a matter for individual negotiation. However, a standard price, delivered lower lake ports, has been regularly quoted in IRON AGE and tear sheets showing this price over the past years have been sent you. As to other ores in Crow Wing County, Prof. E. W. Davis, Univ. of Minnesota, Minneapolis, is thoroughly familiar with ore resources in that region and would be able to direct you to such reports as might be pertinent.—Ed.

HEAT TREATING

Sir:

We are engaged in developing a heat treating process for some of our products and are anxious to have at hand as much information as possible relative to the heat treatment of steel. Would it be practical for you to supply us with a listing of the articles you have published over the past few



crrosion and heat-resistant alloy steel castings of certain types acquire better characteristics when made by the Centri-die process in permanent molds. This method was developed by Firth-Vickers of Sheffield, England, over a long period of experimentation. It is largely responsible for the superior qualities of the Rolls-Royce, De Havilland, Bristol and other British airplane jet engines. Since the war it has been widely applied to castings for corrosion and heat-resistant service.

The agreement between Lebanon and Firth-Vickers makes available to us the best experience, methods and foundry practices known in England and assures Lebanon's customers a continuance of our traditional high-quality standards.

If your equipment is subjected to high temperatures or corrosive conditions, you should know about the new Lebanon castings made by the Centri-die process in permanent molds.

Get This Book "Centri-die Centrifugal Castings"


Here is a clear explanation of the practical advantages to you of the Firth-Vickers Centri-die method of making alloy castings centrifugally in permanent molds. Of interest to executives and engineers who want to keep abreast of new manufacturing and production methods. Write for Bulletin F.

LEBANON STEEL FOUNDRY . LEBANON, PA.
"In The Lebanon Valley"



experience shows you get better performance with

RUTHMAN GUSHER COOLANT PUMPS



Oversized pre-lubricated bearings, totally enclosed motor, split second control of coolants, electronically balanced rotating assembly, no metal to metal contact are only a few of the unique advantages that Ruthman Gusher Coolant Pumps offer. You will get long life, better performance with Ruthman Gusher Coolant Pumps on your machines.

Illustrated above is a Kearney & Trecker Model M-24 Simplex Milling Machine equipped with Model 11022 Long, 1/4 HP Ruthman Gusher Pump.

MOLTEN METAL PUMPS

We manufacture a special Ruthman Gusher Pump designed to handle molten metal. Write us today for full details and capacities.



years on this subject? If the listing can be made, would it be possible to purchase back copies of the issues from you?

EDWIN W. HURD Hurd Lock & Mfg. Co.

■ We are sending semi-annual indexes covering the issues from July 1945 through June 1948. If you will select the heat treating articles which sound useful to you, we will do our best to supply tear sheet copies. Where tear sheets aren't available, it might be possible to obtain complete issues from a dealer in back issues or to have photostats made.—Ed.

NODULAR CAST IRON

Sir:

We have read with interest the bibliography on the "Properties of Nodular Cast Iron," Nov. 25 issue, p. 83, relative to the development of nodular graphite structures in cast iron without heat treatment. This would indicate that the original idea and first process for the manufacture of nodular graphite in grav cast iron resulted from the investigations of the British Cast Iron Research Assn. on certain additions to cause a degree of carbide stabilizing effect in reasonably soft gray cast iron, as a single treatment; or by means of a double treatment, cerium addition and inoculating addition. (Morrogh used either 80 pct silicon, ferrosilicon, SMZ alloy, or calcium silicide.)

Actually, the first discovery of the production of nodular graphite structures in gray cast iron dates back to before the war, when the Meehanite Metal Corp. was conducting various experiments with magnesium, cerium, selenium, tellurium and antimony. Out of this work resulted patent No. 2,364,922, promulgating the use of tellurium as carbide stabilizer with calcium silicide as graphitizer, wth or without the addition of such metals as nickel, molybdenum and copper. This discovery covers also the production of a nodular graphitic structure in a matrix of either ferrite or pearlite, according to the properties desired in the finished casting.

Page 2 of the patent mentioned states:-"The tellurium addition is to be adjusted in accordance with the softness of the gray iron that is started with, and any gray cast iron for the purposes of the present invention may be defined as a cast iron in which the combined carbon does not exceed 0.8 pct. Without limiting the invention to an exact theory, it appears that the addition of tellurium not only influences the combined carbon, but also changes the graphite, reduces its length and even to nodular form, and thus improves the grain structure and the mechanical properties. When starting with a gray iron which normally will not give a pearle listing essible to e issues

HURD

dexes covbugh June t treating u, we will et copies. it might ssues from we photo-

rest the rties of 5 issue, ment of in cast t. This nal idea nanufacray cast igations tesearch cause a

effect

on, as a

ns of a cion and gh used on, SMZ of the e strucback to behanite various cerium, timony, ent No. use of er with

er with er, wth metals copper. producructure pearlies de-

ittoned is it it the hat is st iron inveniron in bes not ng the it aplurium ed caraphite, andular grain proper-

y iron

pearl-

itic structure without a tellurium addition, the incorporation of tellurium in such iron produces a pearlitic structure, provided the amount is controlled, as hereinabove indicated. The present invention seeks to control the tellurium addition to normally gray cast iron containing free ferrite to produce an all-pearlitic iron, and to take up the effect of any tellurium added in excess of such all-pearlitic structure by the use of an alkaline-earth silicide or graphitizing substance."

Oliver Smalley Presiden

Mechanite Metal Corp. New Rochelle, N. Y.

The bibliography was not intended to be a complete listing; rather a listing of the more recent discussions of the subject. Reader Smalley's comments, however, are of particular interest in establishing some of the background on this development.—Ed.

STEEL SHORTAGE-BAH!

Sir:

Your editorial advices on the steel shortage are becoming a pain in the eye. I quote, "Steel demand is strong . it is wide . . . shows no sign of faltering . . . hitting every steel product . . . more steel demand, etc., etc." For the past two years we have been trying to sell 1000 lb of stainless. We've advertised it in the newspapers, sent out 1000 cards to screw machine shops and have made solicitations by letter, by telephone and in person. To date we have not been offered even half of the quoted price. It is new stainless steel; 3/16 in. round, 12-ft long straight rod, type 416. Where is our rush of buyers?

J. J. AMES

Ames & Co

■ Stainless represents less than I pct of steel tonnages and general statements on market conditions do not always apply to it. Since it is a premium grade in price, the demand for stainless, along with some of the allay grades, has not been as tight as for regular carbon steel. Still you shouldn't have had that much trouble selling it.—Ed.

ALUMINUM ROOFING MAKERS

Sir:

Will you kindly send us a list of the manufacturers of aluminum roofing and siding.

EDUARDO GRULLON
Joseph Danon Co.
New York

A list is in the mail.—Ed.

FOUNDRY TRAINING

Sir:

We would like to learn the names and addresses of trade schools or colleges offering courses in foundry practice. We are especially inter-



Heavy double ring construction gives Extractor Tire Chains double wear, double traction. The double rings lie flat when traction is not needed . . . prevents damage to concrete or grassy fields . . . and gives a smoother ride.

Tractor chains must be huskily built to withstand the powerful wheel thrusts... the chain links must be tough and strong. Extractor Chains are formed from extra brite Keystone Wire that has excellent welding qualities as well as proper ductility for easy forming and twisting. The wire has favorable heat-treating and hardening characteristics that count for abrasion resistance and long wear.

Yes, we are proud that sturdy Keystone Wire is such a major factor in the fine construction of Extractor Tire Chains.

* Nixdorff-Krein Mfg. Co. St. Louis 6, Missouri

SPECIAL ANALYSIS WIRE for all industrial purposes



KEYSTONE STEEL & WIRE COMPANY
PEORIA 7, ILLINOIS

labor SERVING cranes



NORTHERN OVERHEAD CRANES

Easy, rapid and safe handling of heavy, bulky assemblies is "duck soup" for NORTHERN OVERHEAD ELECTRIC TRAVELLING CRANES which serve your fabricating department—to SHIFT or TURN assemblies to keep work areas in the most accessible, efficient position—to MOVE finished work to paint, to shipping—LABOR SERVING to save time cost!

★ Write for our Bulletin No. 126-C ★

OVERHEAD NORTHERN **ELECTRIC CRANES** ENGINEERING WORKS AND HOISTS 2615 Atwater St., Detroit 7, Mich. ested in extension courses on the sun-

Asst. General Supt. & Person

Stanley G. Flagg & Co., Inc. Stowe, Pa.

• Either the American Foundrymen's Assn... Chicago, or the Foundry Education Founda-tion, Cleveland, can send you an up-to-date list .- Ed.

PLATING RANGE TEST

We would like a copy of the article "Rapid Plating Range Test" appearing in the Dec. 4, 1947 issue.

PAUL BRODERICK Asst. Purchasing Agent National Forge & Ordnance Co. Irvine, Pa.

HIGH TEMPERATURE SHEETS

Sir:

Please send tear sheets of the articles "Sheet Metals for High Temperature Service," Sept. 23 issue, and "Single Slag Basic Electric Furnace Practice," Sept. 30 issue.

M. J. R. MORRIS Director of Research Republic Steel Corp. Cleveland

PUNCH PRESS STRAINS

Sir:

In the Jan. 15 issue an article entitled "Strain Gage Analysis of Mechanical Punch Presses" was of deep interest to us. We would appreciate having a copy for our files.

J. T. HARRINGTON E. W. Rliss Co. Detroit

METAL OXIDE FILMS

I would appreciate receiving a tear sheet of the article "Metal Oxide Films at Elevated Temperatures" which appeared in the Aug. 12 issue.

R. N. WILLIAMS
Metallurgist Republic Steel Corp., Steel & Tubes Div.

COLOR METALLOGRAPHY

Please furnish four reprints of "Color Metallography" from the Oct.

C. C. COPENHAVER Purchasing Agent Eastern Stainless Steel Corp.

LUMP CHROMIUM

Sir:

Can you give us the names of firms supplying chromium metal in lump form:

MYRON SIGLER

Myron's Dental Laboratory Kansas City, Kansas

• The name of one source has been sent. If they are unable to supply you, they should be able to put you in touch with some one who can.—Ed.

LIOTT Person el Direc r

Producte

e article appear-

ERICK ng Agent

TS

of the gh Temsue, and Furnace

ORRIS Research

of Meof deep preciate

g a tear l Oxide ratures" 2 issue. LIAMS tallurgist es Div.

ints of the Oct.

AVER ig Agent

of firms

in lump

some one



Horse-and-Buggy Switching



97% Availability

High-efficiency switching at Weirton is due to several reasons. The five peppy 50-tonners have an average availability of over 97 per cent, while the coal-burning steam locomotives they replaced were available for service 60 per cent of the time. Each diesel-electric is out of service only 20 minutes every three days for refueling, each steamer required 90 minutes refueling time every eight hours.

Working hours are long—24 hours a day, seven days a week; the loads are heavy—up to 573,000 lbs; but the husky G-E locomotives are brim full of get-up-

and-go. They have the power and the pull to get the job done.

Five Standard Sizes

If you're using old steam or gasoline locomotives in your switching operations, you can expect to save thousands of dollars a year through slashed fuel and maintenance costs. G-E has five standard locomotive sizes, any one of which will probably pay for itself in three or four years. Have your nearest G-E representative survey your requirements, estimate your savings in advance. There's no obligation. Apparatus Department, General Electric Co., Schenectady, N. Y.

LOW FUEL COSTS

Diesel-clastric locamotives burn approximately one gollan of field all, where a steam locamotive burns anohundred pounds of ceal. This is one reason why D-E switchers often pay for themselves in three or four years.

Switch to B Diesel-electrics

And Save!

GENERAL ELECTRIC

Steel Mill Boosts Quality and Output With Help of Micromax Pyrometers

How can a steel mill engineer invest his Company's thousands of pyrometer dollars, so as to get the greatest dividends from the millions invested in manufacturing equipment?

And how can he surely make his control systems help to the utmost in holding quality, cutting costs and raising output?

Following are some of the answers, taken from a mill which turns out a wide variety of products and where the right temperature control by means of Micromax instruments has proved its worth in many processes.

Continuous Tinning (See Fig. 1)

Uniform temperature in the tin pot helps to maintain uniform rate of deposit, minimum dross formation and maximum production.

Hot Dip Galvanizing (Fig. 2)

Here Micromax Electric Control throttles fuel to the burners. Accurate temperature control means uniform coating, lower consumption of zinc, less maintenance, and less "down time" for drossing.




Figure 1. Continuous hot-dip tin pot.




Figure 2. Galvanizing kettle, on continuous sheet line.




Figure 3. Steam-heated pickling baths.




Figure 4. Slab heating furnace. A fourth Rayotube near the one shown in the lower zone detects slab temperature and reports it to the Pyrometer at top right.

Continuous Pickling Baths (Fig. 3)

Here the ability of Micromax to stay on the job continuously, and with low maintenance, helps to keep the process operating at top efficiency a maximum percentage of the time.

Slab Heating Furnace (Fig. 4)

This illustrates the application of Micromax Rayotube Pyrometers to a complex temperature control problem.

Complete temperature control helps the furnace to perform efficiently its functions of bringing the slabs back to rolling temperature, holding them at temperature until the mill is ready to receive them, and finally delivering the slabs at the right time properly conditioned for efficient rolling.

An L&N field engineer is always ready to discuss any temperature control problem with you. Or if a description of the equipment will meet your needs we'll be glad to send catalogs on request. Address Leeds & Northrup Co., 4956 Stenton Avenue, Philadelphia 44, Pa.



MEASURING INSTRUMENTS . TELEMETERS . AUTOMATIC CONTROLS . HEAT-TREATING FURNACES

LEEDS & NORTHRUP CO.

Jrl. Ad N-33-0661(1)

22-THE IRON AGE December 30, 1948

ut rs

Palm Oil Vahe

Drive

el Valve

the job helps to a maxi-

icromax ure con-


furnace ging the them at the them.

Or if r needs Address Avenue,

D.



DEPENDABLE because these features give that extra margin of safety necessary to keep equipment operating on the job (where it counts). Diagram shows (A) Safe-T-Chek which protects regulator



against damage possible from high pressure valve being opened with regulator screw open.

(B) Shows operating seat and (C) Valve block with extra seats ready for immediate service in case of wear to operating seat. DIFFERENT—because only Meco has these important features

built-into every regulator.

FREE - sond for New MECO Catalog No. 130 today!

Modern Engineering CO., Inc.

3405 WEST PINE BLVD., ST. LOUIS 3, MO.

BRASS PIPE AND TUBE FITTINGS



Made from Forgings, Extruded Rod and Castings for use in AUTOMOTIVE, REFRIGERATION, MARINE, MACHINE TOOL, STOVE and Industrial applications

- · Flared Tube Fittings
- · Compression Fittings
- · Iron Pipe Thread Fittings
- · Inverted Sleeve Fittings
- Threaded Sleeve Fittings

"BUILT RIGHT TO STAY TIGHT"

Send for Catalog 45

BRASS CORPORATION

 Economically priced to save you costs in production and maintenance work but
 . . . precision designed, engineered and built to high quality standards



IN STOCK AT YOUR JOBBER

Drills

Reamer Drives

Buffers

Sanders

Files

Screw Drivers

Grinders

Surfacers

Heat Guns Hole Saws Tappers
Valve Seat Grinders

Nut Setters

Valve Refinishing Shops

Polishers

Flexible Shaft Machines

 One of America's most popular grinders is Model 500

UTILITY FLOOR GRINDER

12", 14" and 18" wheels

WHEEL GUARDS ADJUSTABLE TO WHEEL WEAR

Totally enclosed motor; push button

starter for overload protection; ball-bear-



ings enclosed in dust-tight housings; enclosed adjustable wheel guards and many other quality features.

The UNITED STATES ELECTRICAL TOOL Co.

Stainless Steel Mouldings Stampings-Assemblies



IF you use production quantities of moulding, grilles or louvres, it will pay you to submit details, blue prints and information on quantities desired. No obligation on quotations. WRITE TODAY!

WRITE FOR FREE CATALOG!

Greene Manufacturing Company Inc.

1028 Douglas Avenue

RACINE. WISCONSIN

WEBB WIRE




NEEDLE and STAINLESS



THE WEBB WIRE WORKS

NEW BRUNSWICK, N. J.

PHONE 2-4668-9



STEEL FORGINGS

UPSET, DROP and COIN PRESSED ANY ANALYSIS—ANY QUANTITY

Send us your blue prints for prices

ROCKFORD DROP FORGE CO.

2030 9th St.

ROCKFORD, ILL.

102—THE IRON AGE, December 30, 1948

LELAND-GIFFORD COMPANY

Worcester, Mass.

Drilling Machinery Belt and Motor Spindle One to Six Spindles

Tapping Attachments and Multiple Heads

MICHIANA PRODUCTS CORP.

MICHIANA

See Display Ad in November 11th Issue

HEAT- and CORROSION-RESISTANT ALLOYS

MICHIGAN CITY, INDIANA



Cutting Off Machines for Sawing All Kinds of Metals

THE ESPEN-LUCAS MACHINE WORKS

GOSS and DE LEEUW

MULTIPLE SPINDLE

CHUCKING MACHINES

Four, Five, Six, Eight Spindles . Work and Tool Ratating Type GOSS & DE LEEUW MACHINE CO., NEWSINGTON, CONN.

WIRE AND METAL RIBBON

FORMING MACHINERY

NILSON TILTING

WIRE REELS (Wire Reel Catalog No. 51)

(Wire Reel Catalog No. 51)
Special Machines Designed and Built to Order

THE A. H. NILSON MACHINE COMPANY BRIDGEPORT, CONN.

STEEL from STOCH

BARS • STRUCTURALS • PLATES SHEETS • COLD FINISHED • ETC.

AMERICAN PETROMETAL CORP.

OHIO

25 TO 40 TO



CRANES GASOLINE - DIESEL

ELECTRIC . STEAM

0

THE OHIO LOCOMOTIVE CRANE CO.



HINDLEY MFG..CO. VALLEY FALL



ads

ue

ij

or

inds

RKS ENNA.

Туре

RY

CONN.

ANES

DIESEL STEAM

YES

THE TORRINGTON

SWAGING MACHINE ROTARY

- with 4000 forceful squeezing hammer blows per minute-makes metal tougher and more elastic. Send for booklet-"The Torrington Swaging Machine."

56 Field Street

The Torrington Co., Swager Dept. Torrington, Conn.

CHICAGO STEEL PRESS BRAKES and HAND and POWER BENDING BRAKES and DIES FOR ALL STANDARD **MODERN PRESS BRAKES**

DREIS & KRUMP MFG. CO. 7430 LOOMIS BLVD . CHICAGO 36, ILLINOIS

World's Largest Makers of Steel Press Brakes— Hand and Power Bending Brakes

SAVAGE NIBBLING MACHINE

FOR TUBE SLOTTING, TUBE SHAP-ING AND CUTTING FLAT SHEETS BY TEMPLATE OR TO A SCRIBED LINE.

> Sheets Flat mild 3/4" Tough alloys 3/8"

ASK FOR FREE BULLETIN "H"

Manufactured by

W. J. SAVAGE COMPANY Knoxville Tennessee

Since 1885

Pioneer Mnfrs. of Nibbling Machines



"NIBBLE YOUR COSTS"

Have It Galvanized by-JOSEPH P. CATTIE & BROS., INC. Gaul & Letterly Sts., Philadelphia 25, Pa.

Philadelphia's Oldest, The Country's Largest Hot Dip Job Galvanizer • Galvanized Products Furnished Pickling and Oiling

A. J. BOYNTON AND CO.

CONSULTING ENGINEERS 58 E. Washington St., Chicago 2, III.





RYERSON'S TEELS


Thousands of kinds, shapes and sizes of steel are ready for quick shipment from thirteen Ryerson plants. Just call

Joseph T. Ryerson & Son, Inc. New York, Boston, Philadelphia, Detroit, Cincinnati, Cleveland, Pittsburgh, Buffalo, Chicago, Milwaukee, St. Louis, Los Angeles, San Francisco.

COTTER PINS - FLAT SPRING KEYS

RIVETED KEYS —
WESTERN WIRE PRODUCTS CO
ST. LOUIS, U.S.A.

COPPER—BRASS—BRONZE
PERFORATED
TO YOUR REQUIREMENTS
SEND US YOUR DRAWINGS FOR PRICE
PERFORATED METALS
FOR ALL INDUSTRIAL USES
ALL SIZE AND SHAPE HOLES—ALL METALS
ARCHITECTURAL GRILLES
DIAMOND MFG. CO.
BOX 28, Write for Catalog 35 WYOMING, PA.



Over 20 years Experience

DIES and STAMPINGS

BUS and TRAILER PARTS

Send Us Your Blue Prints and Specifications

THE HAND

DIE and STAMPING CO

13943 TRISKETT ROAD . CLEVELAND 11, OHIO











WETHERELL BROS. CO.

251 Albany St., Cambridge, Mass.

C. R. Strip Stainless Steel Tool Steel O. H. Specialties

THE CLEVELAND STEEL TOOL

Co.

Punches, Dies, Chisels, Rivet Sets
660 E. 82^D St. Cleveland, O.
If it's RIVETED you KNOW it's safe



HAYWARD BUCKETS

Use this Electric Motor Clam
Shell for rehandling bulk materials in Industrial Plants.

THE HAYWARD CO., 40-50 Church St., N.Y.



(THIS SPACE RESERVED)

For wide-awake manufacturer who may be up to his neck in orders now, but who has an eye to his future business. A message every week in this advertising space keeps your name before those customers who would like to buy from you now. The Iron Age.



and), DHIO

HAPES

ylvania

TURE NING

CO.

Mass. Steel alties

0. safe



neck iness. keeps o buy



chine products that stand up under hard usage ... and build up sales through customer demand?

Mil. Ottemiller YORK, PA. of course!

Write today for the new eye-catching folder that illustrates and describes our famous line of ...

CAP SCREWS SET SCREWS • COUPLING BOLTS and MILLED STUDS in all sizes and threads



STEEL - BRASS ALUMINUM STAMPINGS

made to specifications — and delivered "on time"! Quality materials and excellent workmanship insure satisfaction.

Send blueprints or samples for quotation.

WORCESTER STAMPED METAL CO.

Established 1883

WORCESTER, MASS.



Bulletins available: General Purpose Die Haufs, Insert Chaser Die Head. Thread-ing Machines.



THE EASTERN MACHINE SCREW CORP., 21-41
Pacific Coast Representative: A. C. Berhringer, 354 N.
Colifornia. Canada: P. F. Borber Machinery Co., 7



MACHINES AND TOOLS FOR

The Fellows Gear Shaper Company, Springfield, V1

GEAR PRODUCTION

PRESSES FEEDS AUTOMATIC EQUIPMENT V & O PRESS COMPANY HUDSON, NEW YORK

OVERHEAD TRAVELING CRANES . AC and DC ARC WELDERS . WELDING ELECTRODES WELDING POSITIONERS . ELECTRIC HOISTS INDUSTRIAL CRAWLER CRANES 4401 W. National Ave., Milwaukee 14, Wis.



Steel Makers Since 1871

STRIP STEEL

TANLE Hot Rolled - Cold Rolled

Special Carbon - Alloys

The STANLEY WORKS New Britain, Bridgeport, Conn.—Hamilton, Ont.



ORDER YOUR COPY TODAY! **BIG, NEW 1948** METALS HANDBOOK

After 9 years, the greatest... most complete handbook on ferrous and non-ferrous metals. Govers properties, manufacture, processing, forming, finishing, fabrication and use of all metals. A "must" for your reference shelf.

ORDER TODAY— Satisfaction Guaranteed 81/2" x 11"...Clath bound \$15.00

Serving the Metal Industry AMERICAN SOCIETY FOR METALS 7303 EUCLID AVENUE . CLEVELAND 3, OHIO for Over 30 Years

THE CLEARING HOUSE.

CONSIDER GOOD USED EQUIPMENT FIRST

AIR COMPRESSOR

IR COMPRESSOR

210 cu ft Schramm Model 210 4½"x4½" 6-Cylinder.
V-Belt Pulley Drive including 50 HP AC Motor.
160 cu ft. Worthington 2-Stage V-Belt Drive With 3 H.P. G.E. Motor 1252 Pressure 315 cu. ft. Model RXI LeRol Portable Air Compressor With 125 H.P. Gasoline Engine
1368 cu. ft. Ingersoll-Rand 2-stage. Motor Dr. With 115 H.P. G.E. Synchronous Mctur

ANGLE BENDING ROLL

BERTSCH Augle Bending Roll, M.D.

BENDING ROLLS

[ENDING ROLLS
 10' Kling Pyramid Type Bending Roll, Motor Dr.
 Capacity ½" Mild Stee!
 Ellies & Jones Pyramid Type Bending Roll, Capacity 12" x ¾" or 10' x ½" Beit Driven
 Bertech Istital Type Bending Roll, Rolls 8½" Diameter, Belt Driven

BRAKE-PRESS TYPE 12' x 3/16" All Steel Press Brake, Motor Driven

BUILDING
76' x 356' Steel Building-New, never erected

CRANES—GANTRY

10 Lan Milwaukee 33' Span 440/5/60 AC

15 Lan Harnischfeger 27' Span 230 Volt DC

CRANES-OVERHEAD ELECTRIC TRAVELING

RANES—OVERHEAD
2 ton Shepard-Niles
2 ton Shepard-Niles
3 ton Shepard-Niles
3 ton P & H
5 ton Shepard-Niles
5 ton Wright
5 ton Wright
5 ton Shepard-Niles
6 ton P & H
10 ton Morgan
10 ton Morgan
10 ton P & H 28 'Span 550/3/60 AC.
26' Span 550/3/60 AC.
27' Span 550/3/60 AC.
27'8 'Span 450/3/60 AC.
27'3 'Span 220 Volt DC.
47' Span 220 Volt DC.
47' Span 230 Volt DC.
47' Span 230 Volt DC.
47' Span 220/440 AC.
60' Span 230 Volt DC.
22'4" Span 40 Volt AC.
50' Span 230 Volt DC.

200 ton ALLIANCE Overhead Electric Traveling Crane 100' Span Fraveling Crane 100' Spa 25 ton Auxiliary Heist Five 230 Volt DC Motors

> Ton Shaw Crane 50° Spai hree Motors 440/S/66 A.G I tell Shaw Crane 55° Spai With 5 Ton Auxiliary Four Motors 440/3/66 A.C. Fo

DIEING MACHINES

25 tan Henry & Wright Dieing Machine Double Roll Feed, Scrap Cutter 2" Stroke 75 ton Henry & Wright Dieing Machine Double Roll Feed, 6" Stroke, Motor Driven

DRAW BENCHES

(RAW BENCHES) 50,000# Actas Standard Single Chain Draw Bench 50° Draw. Complete with hydraulic system and electrical equipment 50,000# Actas Standard Double Chain Draw Bench 30° Draw. Both Complete with Elecl. Equipment

FORGING MACHINES

1 1/4" Pawtucket Bolt Forging Machine
3" 31/4" 4 1ax
3" 4" 5" 6" 7 1/4" National
4" Acme Model XN

FURNACES

"A Ton Moore Type "Q" Lectromeit Furnace Com-plete with Transformer Equipment
Ton Herouit Nose Tilt Type Melting Furnace
Ton Herouit Rocker Tilt Type Melting Furnace
ton Moore Type OT Lectromeit Furnace
ton Moore Type OT Lectromeit Furnace
0.2 Electric Furnace Co. Tilting Type Rotary Gas
Furnace. Complete with Accessories

GEAR HOBBING MACHINES

AR HUBBING MACHINES

o. 5B Sykes Gear Generator, Motor Driven. Will ent
a gear from 3" to 61" dia. by 48" wide on spur
and 21" on Herringbone. New 1945

o. 120-H Guld & Eberhardt Universal Gear Hobbing
Machine, Capacity Spur Gears up to 144" Dia..
Helical Gears up to 120" Dia. Complete with
Electrical Equipment

GEAR REDUCERS

600 H.P. Westinghouse Reductior Unit Ratio 3:76-1 500 H.P. Mesta Double Reduction Ratio 11:1 600 H.P. Falk Single Herringbone Gear Reducer, 268/40 RPM Reduction Ratio 29:1

HAMMERS-BOARD DROP

1000# Billings & Spencer Model D 2000#, 4000# Chambersburg Model F 2500# Erie

HAMMERS-STEAM DROP

-STEAM FORGING

800# Lane Single Frame 1000, 1250, 1500, 1600, 4000# Chambersburg 800, 900, 1000, 1250, 2500, 4500# Niles-Bement-Pond 1100, 1500, 1600# Eric Single Frame 20,000# Arch Type

HAMMERS-MISCELLANEOUS

Motor Driven Forg-1000# Chambersburg Pneumatic Motor Driven ing Hammer, Complete with Motor 18" x 48" Chambersburg CecoStamp Hammer 48" x 36" Chambersburg CecoStamp Hammer 30" x 24" Chambersburg CecoStamp Hammer

LOCOMOTIVE—GASOLINE
35 ton Plymouth Model ML-8 Type 0-4-0 Gasoline
Locomotive, Standard Gauge New 1943

MILLING MACHINES—PLANER TYPE
Ingersoll slab Milling Machine, 26" wide x 30"
height between housings, Table 30" x 20'
Ingersoll Slab Milling Machine, 42" wide x 30"
height between housings, Table 48" x 20'

NIRBLER

Driven, 36" Throat. Capacity mild steel 9/16".
Complete with Circle Cutting Attachment

PLANERS

Sorzäö'zä' Cincinnati Hypro Planer, Motor Dr. 36"zäö'zä' 26' Cincinnati Planer, Motor Dr. 36"zäö'zäö'zi' Nilea Tool Works Planer, Motor Dr. 84"zä4"740' Planer, Two Rail & 2 Side Heads 210"zi20"zzü? Planer, Two Rail & 2 Side Heads

PLANER—OPEN SIDE
36"x8" Detrick & Harvey, Belt Driven
POLISHING MACHINE

B01 Production Machine Co. Polishing Machines in tandom). Complete with Centerless Belt Feed Wheel Truing Unit. Complete with Elec. Equip. Accessories

PRESSES—HYDRAULIC
150 ton HPM Hydraulic Press 48" Stroke 30" x 30"

Platen
300 tun HPM Hydraulic Press, Complete with Pump
& Motor, Bed Area 30" x 36", Stroke 18", Day-

Motor, Bed Area 30" x 38", Stroke 18", Daylight 24"

600 ton Hyiraulic Extrusion Press, 25½" Stroke, 29"
x 26" Platen Size
700 Ton Robertson Hydraulic Extrusion Press, Complete with Fump & Motor
750 ton Lake Erie Double Acting Hydraulic Press,
Platen 146" x 81½", Stroke 46"
1800 ton Chambersburg 4-Column, Hydraulic Press,
18" Stroke, 48" x 22" Between Columns
2000 ton Wood Hydraulic Press, 9" Stroke, 24" x
35" Bed Area
4000 ton Steam Hydraulic Forging Press, 128" x 64"
Between Columns, Single Stroke 7", Total Stroke
80", Complete with Accessories

-HYDRAULIC WHEEL
n Chambersburg Hydraulic Wheel Press, Motor 400 tan Drive

STRAIGHTENERS AND BAR TURNING MACHINES

MACHINES
Type "A" Medart-Brightman Bar Turning Machine,
MD. Capacity i" to 4" diameter
Type "B" Medart-Brightman Bar Turning Machine
M.D. Capacity 3" to 6" diameter
%" Shuster Straightening & Cut-Off Machine Motor
Driven. With 16" Cut-Off
%" Wells Straightening & Cut-Off Machine Meter
Driven. With 20" Cut-Off
%" Wells Straightening & Cut-Off
Machine, Arr. M.D. With 22" Cut-Off
Machine, Arr. M.D. With 22" Cut-Off
No. 5 Kane & Ranch Straightener, Belt Drive, Capacity Angles 4x4x½", Rounds & Squares 2½",
Flats 3½"x1"

PRESS-KNUCKLE JOINT

io. K. '900 30 Clearing Knuckle Joint Press 200 Ton Capaci y 4" Stroke, 31" Between Uprights o. 24K Bliss Knuckle Joint Press 400 Ton, 4" Stroke, 20 z 20" Bed Area

Stroke, 20 x 20 Bes SIDE
PRESSES—STRAIGHT SIDE
PRESSES—STRAIGHT Press, V-Belt Motor Drive 16" #87 Bliss 'teducing Press, V-Belt Motor Drive 16"
Stroke, '' Between Uprighte
Stroke, 19 Press Single Crank Double Geared 10"
Stroke, 49½ x 33%" Bed Area
#306½ Bliss Press, Motor Driven, 7" Stroke, Bed

Area 27" x 27
305 Bliss Press, Motor Driven 12" Stroke, Bed
Area 24" x 24"
erracute Straight Side Punch Press, 100 Ton, 3"
Stroke, 45 x 36" Bed Area
à Straight Side Punch Press, 37 Ton, 5\%"
Stroke, 15 x 15" Bed Area

PRESS-TOGGLE DRAWING

50. 185 Toledo 1400 ton Single Crank Press, 26" Stroke of Plunger, 18" Stroke of Blank-holder, Bed Area 72" x 72"

PUMP—VERTICAL TRIPLEX
2%" x 8" Aldrich Vertical Triplex Pump, Capacity
37 GPM at 1500 lbs, Pressure

PUNCH—BEAM

Size B Leng & Allstatter Beam Punch & Coping

Machine. Capacity to punch 2 or more aloss in
flanges or 6 or 8 holes in wun of 24° and smaller
beams, and cope sections of same size and smaller

PUNCH-HORIZONTAL

Hilles & Jones Horizontal Punch, Capacity

PUNCH & SHEAR COMBINATIONS

Style G Cleveland Punch & Shear Double End 48"
Throat, Capacity Punch 2" Tiru 1"
Style G Cleveland Punch & Stear Single End 60"
Throat, Capacity Punch 2" thru 1"
Style EF Cleveland Double End Bar & Angle Shear
Motor Driven, Completely Equipped. NEW 1947
Style EF Cleveland single end arranged or geared
Motor Drive, 72" Throat Capacity Punch 114"
thru 1"

No. 48 Buffalo Armor Plate Single End Punch & Shear, Direct Motor Drive. Capacity Punch 1% " 1 " Shear 2" Rd. 1% " 80.

No. 2 Long & Allistatter Double End Throats 60" and 42". Capacity Punch 1" thru 1"

42". Capacity Punch 1" thru 1"

PUNCH—MULTIPLE

Size G Long & Alistatter Multiple Punch, Motor

Driven 8'6" Between Housings, Complete with

Spacing Table Automatic Spacing Indicator & Automatic Table Adjustment

RIVETERS

RIVETERS
Chambersburg Engr. Co. Hydraulic Riveter 10'6",
Standard Riveting Attachments
125 ton Hanna Bull Riveter, 75" Reach, 24" Gap.
Capacity 1" Rivet Cold & 1½" Hot
ROLLING MILLS
2 5 5 4" Rivered Three High Mill

OLLING MILLS

3 x 5½" Buesch Three High Mill

4 x 7" Standard Single Stand Two High

8 x 4½" McWilliams Single Stand Two High

10 x 12" Cold Rolling Mill 3 Stand 2 High

12 x 24" Waterbury Farrel Single Stand Two High

12 x 24" Waterbury Farrel Single Stand Two High

12 x 30 Mesta Single Stand Two High

20 x 30 Mesta Single Stand Two High

20 x 40" Mackintosh Cold Reduction Mill

20 x 42" Waterbury Farrel Single Stand Two High

9" Two High Hot Mill for rolling strip steel

9" Two High Hot Mill for rolling strip steel
ROLLS—PLATE STRAIGHTENING
98" Hilles & Jones Plate Straightening Roll & Rolls
11" Dis. Capacity 1" Plate
No. 4 Hilles & Jones Plate Straightening Roll, Motor
Driven, 6 Roll 14" Dis. x 10'4" Wide, Capacity
1" Mild Steel

Driven, 6 Roll 14" Dia. x 10 a wide, Capacing 1" Mild Steet 0. 2B Kane & Roach Straightener, Motor Drive 13 Rolls 81/4" Diameter

#1 Alax Taper Forging Roll, Motor Drive

3A Jan. Taper
 3AWS
 Z-36 Do-All Zephyr Saw, Motor Driven—36" Threat
 36" Work Table—New 1947
 2" Newton Type U-82-A Heavy Duty High Speed
 Cold Saw, Completely Hydraulic, Elect. Equipment
 Included. Capacity 16" Round or Square with

AVEY Band Saw, Motor Driven Capacity 6" Round

AVEY Band Saw, Motor Driven Capacity of Nound or Square

SHEARS—ALLIGATOR

No. 1½ Doelger & Kirsten Alligator Shear Motor Driven. Capacity 2" Round

No. 2 Doelger & Kirsten Alligator Shear Motor Driven. Capacity 3" Round

No. 3 Doelger & Kirsten Alligator Shear, Motor Driven. Capacity 4" Round, 3½" Square

SHEARS—ANGLE

No. 2 Miles & Lones Double Argin Shear, Capacity

Hilles & Jones Double Angle Shear, Capacity 3 x 1", Motor Driven

-BAR

SHEAR—EAR
No. 1 Long & Allstatter Bar Shear,
Capacity 2" Round, 1%" Square
SHEAR—BILLET
No. 6 Mee's Billet Shear, Motor Driven, Capacity
6" x 6" Square Billets
SHEARS—GATE
8" x 1" Cincinnati Gate Shear, Motor Dr.
9" x %" Bertsch Gate Shear, Motor Driven, Hydraulic
Holddowns, Complete with pump and motor. Capacity 1%" Mild Steel
SHEARS—ROTARY
No. 50 Quickwork Rotary Shear, Motor Drive, Ca"Mild Steel
Shear, Atr. Motor Drive, 30" HEARS—ROTARY No. 50 Quickwork Rotary Shear, Motor Drive, Capacity %" Mild Steel No. 250 King Rotary Shear, Arr. Motor Drive, 36" Throat Capacity %" Plate No. 500 King Rotary Shear, Motor Driven, Capacity %", Corplete with circle cutting, flanging and

SHEARS—SQUARING
13' x %" Dreis & Krump All Steel
10' x %" Niagara Overdriven Shear
8' x 5/16" Thomas Squaring Shear, Motor Drive

No. 4 Mediat Straightening Machine, Arranged for Motor Drive, Capacity 2½" to 6" Incl. Round Bars No. 4 Sutton Straightening Machine, Motor Drive, Capacity 2" to 6" Round, Timken equipped Kane & Rough Rotary Straightener, Capacity %" O.D. and smaller

Ashe of And smaller
O.D. and smaller
SWAGING MACHINES
#112 Eina Machine Co. Rotary Swager, Arr. M.D.—
Capacity Tubing 4". Die Length 18"—New 1945
No. SIIS Langeller Swaging Machine, M.D., Capacity
6%" Tubes, 4%" Solids. Hot
Waterbury Farrel Triple Die Swaging Machine, Capacity Tubes %" to 4", Motor Driven

AACMINES

TESTING MACHINES

ESTING MACHINES

10,000 # Amaler Hydraulic Universal Testing Machine
60,000 # Bienle Universal Hydraulic
200,000 # Elmes Compression Testing Machine, Hydraulic Type
800,000 # Hydraulic Chain Testing Machine
WELDER

WELDER

Union Melt Type "U" Model CM21 Welder 1000 Amp. Transformer, Capacity up to %" in stain less steel

Manufacturing

RITTERBUSH & COMPANY, INC. 50 CHURCH ST., NEW YORK CITY, 7

Telephone Cortlandt 7-3437-3438

Equipment

Consulting Engineering Service Surplus Mfg. Equipment Inventories Purchased

.

Confidential Certified Appraisals Liquidations-Bona Fide Auction Sales Arranged

106-THE IRON AGE, December 30, 1948

.

THE TOOLS YOU WANT - BUT RARELY FIND

VERT. & HOR. BORING MILLS

bar Univ. Table Type, S.P.D.

3" bar Yoder Table Type, 3.7.0. 3" bar Yoder Table Type, 72" spin. to outer support, 30" spin. to table, 1942 31/2" bar Landis #35, Floor Type

31/2" bar Landis #35, Floor Type
4" bar Foote-Burt, hvy., floor type, 1942
4" bar Universal Table Type, 96" spin. to
outer support, 60" spin to tbl., 1943
4" bar Lucas #42, Table, 1945
4" bar Landis #40, Floor Type
5" bar Fisher, Floor Type, 1942
6" bar Sellers, Floor Type, 1942
No. 25T G & L Table, 21/2" bar, '42
30" Colburn, I turret head, M.D.
36" Bullard Spiral Dr., 4 Jaw, Coolant
36" King Side Hd., 1942
42" King Side Hd., 1943
48" N.B.P. Car Wheel
No. 49 Heald Borematic, dble. end, 6
spin., late

spin., late

spin., 1976 72" Cinci., Rapid Production, M.D. 84" Cinci. Massive Type, P.R.T. 10-16' Betts Ext. Type, AC, M.D. 12' Betts, 2 hds., M.D.

LATHES

nd Punch & Punch 1% 1

roats 60" and

iveter 10'6".

h. 24" Gap.

High ligh id Two High

Roll 6 Rolls

Roll, Motor

Motor Drive

-36" Throat

High Speed Equipment re with 48"

F 6" Round Shear Motor hear Motor hear, Motor

r, Capacity

tor Driven

n. Capacity

Hydraulic motor. Ca-

Drive, Ca-Drive, 36"

n. Capacity

Machine 8 Leveling . Capacity

Drive with

ranged for lound Bars stor Drive, oped pacity %

rr. M.D.— New 1945 , Capacity

chine, Ca-

g Machine

hine, Hy

Service urchased No. 4 B LeBland Boring, Capty. 28' & 20'6" (2), 1942
14/16/2" x 54" centers Sidney, T.A.
14" x 30" cc Reed-Prentice Tool Room

14" x 30" cc Reed-Prentice Tool Room
No. 16 LeBlond Auto. Production, 1942
16/18¹/₂" x 28" centers Monarch, T.A.
16/18¹/₂" x 54" centers Reed-Prentice,
TAPER ATTACHMENT, 1942
18"/20¹/₂" x 54" centers LeBlond, late
18/36" x 8' Fay Scott, Gap Q. C. G., M.D.
18" x 120" centers Amer. T. A., Cone, M.D.
25" x 18' Bed LeBlond, M.D.
28"/48" x 14' Harrington, sliding bed gap
30" x 12' Bed LeBlond, T.A., M.D.
30" x 12' Bed LeBlond, T.A., M.D.
30" x 18' Lehmann T. A., '43
36" x 32' Bed N.B.P., 2 carr., T.A.
48" x 20' centers Niles, Grd. Hd., M.D.
48" x 20' centers Simmons, Grd. Hd., 1942
50" x 17' centers LeBlond, 1942
60' x 45' centers MacIntosh Hemphill, 1942
TURRETS & AUTOMATICS
No. 3A W&S. 6\/4", chuck, T.A., '46

No. 3A W&S, 61/4", chuck, T.A., '46 No. 5 J&L, Univ., late

No. 0G B&S Auto., late Nos. 5 & 3 W. & S. Univ., late No. 1 B. S. Screw Mach., new 1945 (3) Nos. 4 & 2 W. & S. Univ., late

No. 1L Gisholt Univ., New 1942 Bar

CABLE ADDRESS-Benmachine, New York No. 4 Gisholt Univ., Bar, 1942 1½" Oster No. 601 Turret No. 5 D-2 Potter & Johnston '42

No. 4H-12" Libby Slid. Bed Gap (5)

15%" Conematic, 8 spin. (4) 15%" New Brit. Gridley, 6 spin., late (2) 25%" Acme-Gridley RB8 Automatic, 8 spin.,

Model 65 New Britain-Gridley 6 spin. Work rotating type, new 1943

No. 9DT Potter Johnston Automatics (2)

RADIAL DRILLS

5' 13" col. Morris, 1945 3' 11" col. Fosdick, 1943 3 11 col. Posaick, 1743 No. 3BL Natco, 24 spin., 1943 2-B-8 Edlund 8". I spin. (2), 1942 2½' Amer. Tri. Purp., 9" col., M.D. 3 Spin. Leland-Gifford, #1 LMS, 1943 6' Amer. Tri. Purp., 16" col., M.D.

7' Cariton, 17" col., 2' extra high, 1943

21" Royersford, M.D., new 42" Baush Radial Tapper, ½" capty., 1941 No. 513 Baker, Heavy, 15 H.P. MILLING MACHINES

No. 0 Brown & Sharpe, M.D. No. 1A Simmons, Microspeed, M.D. No. 2 Van Norman Duplex 4" Rice Barton Spline, 1942 (2) 12" x 102" Lees-Bradner Thread Miller

12 x 102 Lees-braaner Inread Miller 1848 K. & T. Simplex, 1944 24" x 24" x 16' Ingersoll Planer Type, 4 swivel hds., 20 h.p., AC, M.D. # 1—8 Kent Owens, Hyd. # 2H K. & T. Vert. # 2A B. & S. Univ., 1942

#4 Kempsmith Maxi-Mil, Vertical

No. 36 Van Norman, late No. 4K K&T Hor., 1943

GRINDERS

60" P. & W. Vert. Surface, 1942 #42 Heald Borematic, Lathe

#47A Heald Borematic, Lathe
24" x 240" Norton Cyl., M.D.
17" x 28"-40" Norton Crankpin Dbl. Hd.
10" x 24" Landis Univ., Hyd., 1942
10" x 36" Norton Surface, 1943

No. 72A5 Heald Plain Internal, 1943 (8) 8" x 48" J. & L. Thread, 1941 6" x 18" Norton, Pl. Hyd., Late

Nos. 35 & 31 Excellos (2) No. 2 Cinci. Centerless, late No. 81 Heald Int. Centerless

BENNETT MACHINERY CO.

PLANERS

24" x 24" x 16' Ingersoll Planer Type, 4 swivel hds., 20 H.P., A.C., M.D. 24" x 24" x 10' Whitcomb, 2 Hds., M.D. 24" x 24" x 66" Rockford Hydr. Shaper-

Planer, 2 hds., late
30" x 30" x 10' Whitcomb, 2 Hds., M.D.
36" x 36" x 12' Cinci. Hypro, 4 hds.,
var. voltage, AC dr., 1943
36" x 36" x 12' Woodward Powell 4 Hds.,

M.D. x 36" x 18' Cleveland Openside, 3

Hds.

42" x 18" x 16' N.B.P. Frog & Switch with 50 h.p., AC., M.D. 42" x 42" x 10' Cleveland Open, 3 hds., MD

M.D. 48" x 48" x 26' N.B.P., 4 hds. 48" x 48" x 16' Gray, 1942 54" x 48" x 16' Niles, 4 Hds., Rev., M.D. 60" x 60" x 26' N.B.P., 4 hds. 84" x 84" x 26' Betts, 4 hds.

PRESSES, PUNCHES, ROLLS SHEARS

Multi Punch, No. 7 H. & J., 14" throat #20 Bliss O.B.I. 250 ton WATSON STILLMAN HOR. HYD.

250 ton WATSON STILLMAN HOR. HYD.
CRANKPIN AND FORCING PRESS
56 ton Diamond Grd. O.B.I., new, M.D.
55 ton Diamond Fly. O.B.I., new, M.D.
31 ton Diamond Grd. O.B.I., new, M.D.
30 ton Diamond Fly. O.B.I., new, M.D.
72" Clev., S.E. Punch, 1/4" x 1"
36" x 16 Ga. Niagara, 18" Gap
10' x 3/4" Hilles & Jones 7 Roll Straightener, AC., M.D., late type
15' x 3/4" Wickes Pyr. Rolls, M.D.
10' x 1/2" N.B.P. Rolls, Pyr., AC., M.D.

MISCELLANEOUS

GEAR SHAPER, No. 75 Fellows HAMMER, Board Drop, 5000 # Chambersburg, 1943

HAMMER, 2500 lb. Chambers Double Frame, Drop Forge, air operated HAMMERS #48 & 4-1, Nazels, M.D. KEYSEATER, No. 0 Baker, M.D. KEYSEATER, No. 5 M. & M.

SAW, 6" Royersford, M.D., new No. 24ML Duall Saw SHAPER, 24" Milwaukee Motorized SLOTTER, 20"-24" Dill, M.D. SLOTTER, 48" N.B.P., grd., late

30 CHURCHST. NEW YORK 7, N. Y.

GUARANTEED TOOLS

8G1 Type 482 KELLER Automatic Duplicating Machine, three dimension, 24" x 48" 20/24" GOULD & EBERHARDT Industrial Universal Shaper, 1944 28" OHIO Shaper, power downfeed, 1941 32" OHIO Shaper, power downfeed, 1942 36" OHIO Extra Heavy Shaper, 1943 48" x 28' NEW HAYEN Geared Head Lathe 6' CINCINNATI BICKFORD Radial Drill, 15" column, motor on arm

column, motor on arm

"x 42" x 12' INGERSOLL Planer Type Mill,
adj. rall, 4 heads O'CONNELL MACHINERY COMPANY

1821 Niagara Street Buffalo 7, New York

ROLLING MILLS and EQUIPMENT

FRANK B. FOSTER, INC. 2217 Oliver Building, Pittsburgh 22, Pa. Cable Address: "FOSTER" Firsturgh

ROLL LATHE

18" Lewis Worm Drive Roll Lathe. Bed 16'6" long; between centers 10'6". 6' table, extra 18" necking table. Direct coupled 10-15 HP Reliance 230 volt DC motor, 400-1600 RPM. Head has worm and helical gearing. Low speed range 0.711 to 2.844 RPM. High speed range 2.963 to 11.852 RPM. Oil Pump ¾ HP AC. Lathe Serial No. PM8888. Built end 1942. First class condition.

Immediate delivery.

F. H. CRAWFORD & COMPANY, INC. 30 Church Street, New York 7, N. Y.

Phone: COrtlandt 7-2356 Cable: Milleguip

QUALITY LATHE

30/35"x40" (32" centers) Lehmann "Hydra-tol" 16-speed Geared Head, Q.C.G., standard carriage, also special boring carriage, including 30 HP. Motor 3/60/-220 V. and 4-jaw Steel Body Chuck.

FOUR SLIDE FORMING MACHINE, S4F

Equipped for making staples for railroad

HACK SAW

Racine Hydraulic Power Hack Saw, capacity 15x15", motor 3/60/220-440 volts. Almost new.

IMMEDIATE DELIVERY


GALBREATH MACHINERY CO.

306 Empire Bldg.

Pittsburgh 22, Pa.

THE IRON AGE, December 30, 1948-107

EMERMAN OFFERS FROM STOCK



36"-72" CINCINNATI HORIZONTAL HYDROTEL

Table Working Surface 36" x 93" 16 Spindle Speeds 12-720 RPM Infinite Number of Feed Rates Weight Approx. 50,000#

EXCELLENT CONDITION

48"x48"x8' INGERSOLL OPENSIDE 30"x30"x20' INGERSOLL 3 HEADS (ADJ. RAIL) 60"x54"x10" DAVIS & THOMPSON

OPENSIDE

EMERMAN

875 W. 120th STREET

TEL.: PUlman 5-7626

MACHINERY

CHICAGO 43, ILLINOIS

CORP.

LIST OF OLD MACHINES FOR SALE

One 6" x .062" combination leveler and cut-off machine with 10 ft. tilting table for light work. (Experimental machine)
 One #6 Rochester heavy duty High Speed Hammer complete with starter and 5 HP new G.E. motor.

new G.E. motor.

One Toledo #613, 42" heavy duty slitter with adjustable 8" cutters, 20 HP new G.E. motor, and 2—sleeves for mounting 8"—slitting cutters for narrow cuts, with knives and spaces.

and spacers.

One Winder with slip clutch, 7½ HP motor, and 12" diameter x 28" long collapsible

and 12" diameter x 26 long collapsione drum.

One Cincinnati Centerless Grinder No. H-2005 E, with Emery Wheels and self feed. Five #6 Rochester Heavy High Speed Hammers, without motors. Some parts missing, can be supplied.

One 24" x 6" gas annealing furnace.

One 2 HP portable air compressor.

One Morey #2—1942 Turret Lathe.

One Cincinnati Automatic bar cut-off machine.

machine.

One Light Mill Winder for strip steel.

One 2"-capacity tube forming machine with several sets forming rolls.

One #7 Rochester High Speed Hammer.

One 36"-gang slitter for sheets with 5

HP motor.

STEEL PROCESSING CORPORATION

Warehouse & Office 299 Meserole Street, Brooklyn 6, N. Y. Tel: HYacinth 7-1331

Torrington 48" x 1/16" Slitter. No. OG B & S High Speed Automatics Nos. 1A & 2A W & S Turret Lathes. United Engineering 20" x 20" Recoiler.

D. E. DONY MACHINERY CO. 47 LAURELTON ROAD, ROCHESTER 9, N. Y.

13' x 3/8" SHEAR

DREIS & KRUMP CHICAGO ALL STEEL IMMEDIATE DELIVERY

JOSEPH HYMAN & SONS

TIOGA, ALMOND & LIVINGSTON STS.

PHILADELPHIA 34, PENNA.

NEW - SURPLUS HIGH SPEED DRILLS TAPER OR STRAIGHT SHANK

1/2" \$1.41 es. 43/64" \$2.50 es. 27/32" \$3.64 es. 33/64" 1.55 es. 11/16" 2.50 es. 55/64" 3.83 es. 17/32" 1.55 es. 11/16" 2.50 es. 55/64" 3.83 es. 35/64" 1.79 es. 23/32" 2.74 es. 7/8" 3.83 es. 35/64" 1.79 es. 43/32" 2.74 es. 57/64" 4.02 es. 9/16" 1.79 es. 47/64" 2.97 es. 29/32" 4.02 es. 37/64" 1.90 es. 3/4" 2.97 es. 59/64" 4.21 es. 19/32" 1.90 es. 49/64" 3.09 es. 51/64" 4.21 es. 39/64" 2.02 es. 25/32" 3.09 es. 51/64" 4.21 es. 5/8" 2.02 es. 51/64" 3.45 es. 31/32" 4.59 es. 5/8" 2.02 es. 53/64" 3.45 es. 31/32" 4.59 es. 21/32" 2.26 es. 53/64" 3.64 es. 1" 4.87 es.

12 at more drills-10% discount VICTOR MACHINERY EXCHANGE, INC. 251 CENTRE ST., N.Y.C.

Bering Milis, 24"-38"-42"-52"-72".
Grinder, Universal No. 4—12"x60" B. & S.
Hammer, Nazel S-N
Keyseaters, Nos. I & 2 Baker, M.D.
Millers, Plain & Vertical Nos. 3 & 4 Cin.
Shaper, Draw Gut, 38" Merton.
Shaper, Draw Gut, 38" Merton.
Shraighteners, Gag, 75-60-125 Ten.
Straightener, Plate No. 4 H & J, 110" x 1/2

WEST PENN MACHINERY COMPANY
0 House Bldg. Pittsburgh 22, Pa

COMPLETE PLANT LIQUIDATION

Machine Tools, Including 32" Cincinnati Shaper, Grinder, Lathe, Milling Machine, Etc.

Forge Shop Equipment, Miscellaneous Items.

Inspection 9-5:00 any day except Sunday General List Mailed on Request

Address-R. L. GOODRICH, Agent Quality Forgings, Inc. Bowling Green, Kentucky

ROLL GRINDER, LATE TYPE, 10" x 48" BAIRD 6 Sp. Automatic Chucker MOLINE 3 Sp. Model 7-D Cylinder Borer

Continental Salvage & Machinery Cleveland 15. Ohio 1836 Euclid Ave.

NORTON ROLL GRINDER

50" x 28" M.D. Niles-Bement-Pond 2500 Lb. Single Frame Steam Hammer Wire, Write or Phone
AARON MACHINERY CO., INC.
y St. New York 12, N. Y.
We. 4-8233 45 Crosby St.

FOR SALE

3-30" Ohio Mill Type Lifting Magnets arranged for 230 voits D.C. with waterproof stuffing box. Approximate weight each 1,200 pounds. If interested write

BLAW-KNOX COMPANY 2002 Farmers Banr Building PITTSBURGH 22, PENNSYLVANIA

GOOD MACHINE TOOLS

LATHES

93"

DE S

N

b

OIS

T

' Cin-

. Mill-

ellaneinday

Agent

x 48"

r Borer Corp.

5, Ohio

2, N. Y.

nets stuffing

ER

LATHES
48"x30" N-B-P grd. head
42"x32" N-B-P grd. head
32"x16" Lodge & Shipley, G. H.
36"x14" N-B-P, G. H.
24"x21" American, motorized
24"x11" Graves, grd. head
20"x16" Centers LeBlond, 1942
20"x10" Springfield, G. H.
18"x36" Centers LeBlond, 1942

MILLING MACHINES

TURRET LATHES

MISCELLANEOUS

MISCELLANEOUS

24° Gemco Shpper, PRT, never used

16° American Shaper

12° Hendey Toolroom Shaper

72° Niles Vert, Boring Mill

54° Colburn-Consolidated Vert, Boring Mill

36° Rogers Vert, Turret Mill

3° Universal Horiz, Mill

3° Universal Horiz, Mill

12° S36° Norton Universal Grinder

12° 36° Norton Universal Grinder

2°, 4°, 12° Oster Pipe Machines

EVERYTHING FROM A PULLEY

TO A POWERHOUSE



STOCK TOOLS

Immediate Shipment

BORING MILL, Hor. No. O G & L, M.D.
BORING MILL, Vert. 14' Niles, M.D.
BROACH, Hor. Hyd., XA Oilgear, 60" stroke
FURNACE, Elec. 5 Ton
FURNACE, Elec. 10 Ton Heroult
GRINDER, Cyl. 14" x 72" Norton, M.D.
GRINDER, Knife, 120" Springfield, M.D.
GRINDER, Roll, 24" x 240" Norton
LATHE, 42" x 12" L & S, 84" c-c, q.c.q.
MILLERS, Pl. Nos. 3, 4 & 5 Cincinnati
MILLER, Vert. No. 4 Kempsmith, table 18"x76"
PRESS, Hyd. 250-Ton Chambersburg, 30"x36"
F & S, No. 11 Beatty, 2½"—"1½"
ROLLING MILL, Frec. 3 Stand, 2 Hi, 10"x12"
ROLLING MILL, Vers. 3 Hi, 10"x12"
ROLLING MILL, Vers. 3 Stand, 2 Hi, 22"x40"
SAW, Mack, 13" x 15" Peerless, M.D.
SAW, No. 3 Ryerson Friction 52" Blade
SHEAR, Alligator, No. 6½ Mesta, 6½" sq.
SHEAR, Bar, No. 4 United, 3½" sq.
SHEAR, Bar, MacIntosh-Hemphill, 2½" rd.
SHEAR, Bar Guillotine, 6xt" alloy steel
SHEAR, Plate, 126"x1½" Morgan, 26" throat
SLITTER, Gang, G-36 Yoder, 5 cuts, 11 ga.

FORGING MACHINERY

UPSETTER, 4" National
UPSETTER, 2" Acme
UPSETTER, 1/3" Alax
HAMMER, Board Drop, 1000# B & 5
HAMMERS, Pneumatic, Nos. 4B & 68 Nazel
HAMMER, Steam Drop, 2000# Chambersburg
HAMMERS, Steam Forging, 2500, 6000 and 8000
1b. Chambersburg

LANG MACHINERY COMPANY

28th St. & A.V.R.R.

Pittsburgh 22. Pa

PRICES SACRIFICED

Sell IMMEDIATELY Before Moving

World's Largest Aeroplane Engine Plant. Location: Cincinnati, Ohio

Every item New 1941 to '43-not used since '45 and complete as installed

BRIEF and PARTIAL LISTING

ELECTRIC TRAVELING CRANES

1-5 Ton Shaw-Box-Double box girder, 3 motor, a.c. 3 ph. 60 cy. 440

1—5 Ton Shaw-Box—Double box girder, 3 motor, a.c. 3 ph. 60 cy. 440 volts, pendant push button floor control, SPAN 60 ft.
 1—5 Ton HARNISCHFEGER—Double girder, 3 motor, a.c. 3 ph. 60 cy. 440 volt, pendant push button floor control, SPAN 60 feet.
 1—5 Ton HARNISCHFEGER—Double girder, 3 motor, a.c. 3 ph. 60 cy. 440 volt, pendant push button floor control, SPAN 34 feet 8 inches.
 1—2 Ton HARNISCHFEGER—3 motor—a.c. 3 ph. 60 cy. 440 volt, pendant push button floor control, has underslung trucks—SPAN 28 feet.

HEAT TREATING EQUIPMENT

31—50 & 100 KW Westinghouse, Bell Type Elec. Nitriding Furnaces 11—85 KW Leeds & Northrup Homo-Carb Elec. Fur. 2—65 KW Ajax Electric Salt Bath Furnaces

2—55 KW Ajax Electric Salt Both Furnaces

1—E. F. Gas Conveyor type Annealing Fur. with return Convey.—36"W x 70"L

1—E. F. 127 KW Elec. Conveyor type Annealing—1350°

3—E. F. Gas Conveyor type Annealing Fur. 1700° F 38"W x 60"L

4—Billet Furnaces—4' x 8"—Gas—1800° F

1—40 KW Mahr Elec. Conveyor Fur. 10"L x 3"W

1—30 KW Mahr Elec. Conveyor Fur. 10"L x 5"W

5—Gas Generators

-Gas Generators -Hannifin Quench Press

Bonderizing Machines
Degreasers—Washers—Dryers—Roller Conveyor—Floor Grill—etc.
All equipment complete with all Control Equipment—Over 400 L & N Electric

Control Instruments.

WHEELABRATORS

4—#2 (8' table) Wheelabrator Tablast. PRICE EACH

1-20" x 27" Wheelabrator Tumblast, Rubber Lined. PRICE

2—American Foundry sandblast cabinets 2—A.C. Model C heavy duty spark plug cleaners

DUST COLLECTORS

American Dustube collectors

I—New Pangborn CH2-4564
I5—Type W Rotor Clones, all sizes

PLATING EQUIPMENT

2—6 KW Chandeysson, synchronous, 1000 Ampere, 6 volts
5—20 KW Chandeysson, synchronous, 500 Ampere, 40 volts
5—40 KW Chandeysson, synchronous, 1000 Ampere, 40 volts
Electric Ovens, Gas Ovens, Spray Booths, Degreasers, Gas Dryers, Automatic Washing Machines. Anodes, Etc.

Limited Time Necessitates Immediate Inspection!

ACT TODAY!

Wire us and we will phone you and arrange for your inspection at Cincinnati, O.

\$1,500.00

L. J. LAND, Inc.

146 GRAND STREET, NEW YORK 13, N. Y.

Phone CAnal 6-6976

- THE CLEARING HOUSE -

Re ANUFACTURED ACHINE TOOLS

AUTOMATICS

No. 6 Brown & Sharpe No. 2 Brown & Sharpe 1%" Greenlee, 6 spdis. No. 6! New Britain, 6 Spdi.-21/4"

BORING MILLS

36" Rogers 72" Cincinnati 84" Betts

DRILLS

ILLS

No. 159 Baker

No. D-8 Colburn, No. 6 M.T.

No. 2 LMS-26"—2 Spdl. L-6 (1945)

No. 2 LMS-28"—4 Spdl. Avey

No. 2 LMS-28"—4 Spdl. L-6

No. 4 BL Natco-36 spdls.

7'-15" Col. American Univ. Radial

GEAR MACHINERY

No. 712 Fellows Auto. Indexing (1942) No. 18-M Gould & Eberhardt No. 13 Gleason Tester I'' Gleason Bevel Generator 72" Cincinnati Gear Cutter

GRINDERS

INDERS
4"x12" Landis, Model H (1942)
4"x18" Landis, Model H (1943)
6"x18" Norton Type C Plain (1943)
10"x18" Norton Type C Plain (1943)
10"x18" Norton Type C Plain (1943)
10"x18" Norton Type C Plain (1943)
Norton Motor Driven Plain Grinders
6"x18" Landis Univ. 240"
12"x36" Landis Univ. 240"
12"x36" Landis Univ. 179e LCH (1945)
No. 5 Covel Hydraulic Surf. (1941)
No. 34 Abrasive Surf. (1943)
No. 22—12" Heald Rotary Surf.es
No. 25A—24" Heald Rotary Surf.es
No. 25A—24" Heald Rotary Surf.es
No. 5 Bryant Internal Grinder (1942)
No. 5 Bryant Internal Grinder
No. 5 Expant Internal Grinder
No. 24—26" Bryant Internal (1942)
10"x72" Colontal Breach GDR.

HORIZONTAL BORERS

No. 31 Lucas 3" Illar No. 3A Universal 3" Illar No. 26—4½" Illar Deflance (1943) No. 45B Heald

LATHES

4"n5' Hende 14"m6" Hendey
13"m5" Sebastian
16"m54" Centers LeBlend
16"m54" Centers LeBlend
36"-88"m16" LeBman Hyrdrotrol (1945)
36"-48"m16" LeBman Hyrdrotrol (1945)
46"m20" Simmens (1942)
8"m16" Sundstrand (1942)
8"m16" Sundstrand (1942)
42"m18" Lipe-Carbo
16"m33" Fay Automatics (1942)
20"m25" Fay Automatics (1942)

MILLING MACHINES

LLING MACHINES
No. 4 Cincinnati Plain (1943)
No. 24 Milwauke Vort. (1942)
No. 2 Cincinnati Vert. (1942)
No. 2 Cincinnati Vert. (1942)
No. 3 Cincinnati Vert. (1941)
No. 3 Cincinnati High Power Vert.
No. M.-18 Milwaukee Simplex (1942)
No. M-24 Milwaukee Simplex (1942)
No. 1-16 Cinn. Mfg. (1946)
No. 2-8 Sundstrand Electromil (1942)
No. 4-48 Cinn. Plain Hydromatic (1942)
No. 45-86 Cinn. Plain Hydromatic (1942)
No. 55-90 Cinn. Plain Hydromatic (1943)
4".89" Manson-Whitaey Thread Miller
4".89" Manson-Whitaey Thread Miller
6"x38" Lees-Brainer Thrd. Miller (1942)
6"x132" Pratt & Whitney, Model C
6"x38" Lees-Brainer Thrd. Miller (1942)
6"x132" Pratt & Whitney Model C
6"x38" Xees-Brainer Thrd. Miller (1942)
6"x132" Pratt & Whitney Model C
6"x132" Pratt & Whitney Miller (1943)
24"x24"x12" Ingersoll Ad Rail
16"x38"x16" Ingersoll Ad Rail
16"x38"x16" Ingersoll Ad Rail
16"x38"x16" Ingersoll Ad Rail
16"x38"x16" Ingersoll Ad Rail

PLANERS

NERS
38"x38"x12' Cincinnat!
36"x36"x18" Gray
48"x36"x14' Gray
48"x48"x12' Cincinnat!

45"x48"x12" Cincinnati

TURRET LATHES

No. 2 B. & S. Screw Machine, Wire Feed

No. 5 Warner & Swasey (1942)

No. 5 Bardons & Gliver (1942)

No. 5 Foster, Bar Feed (1942)

No. 2A Warner & Swasey

I-H Libby, Extra Leng Bed

No. 4A Warner & Swasey, 7½" Spdl. Hele

No. 4A Warner & Swasey, 7½"
MISCELLANEOUS
18" Dill Slotter
No. 22-C Racine Shear Cut Saw
No. 0 Bakewell Tapper
No. 20 Billio O.
Model H-7 Micromatic Hone
Model H-7 Micromatic Hone
Model 200 Micromatic Hone
Model 200 Micromatic Hone

HILL - CLARKE MACHINERY CO 647 Washington Blvd. - Chicago BORING MACHINERY

2½" No. 25 T Giddings & Lewis. 3" bar Universal horizontal. 3" No. 31 Lucas. 334" No. 32 Lucas horizontal. 334" No. 5A Defiance. 4½" No. 33 Lucas horizontal. 412" No. 33 Lucas nortzona...
7" bar Barrett cylinder boring.
52" King vertical. 100" Niles-Bement-Pond, heavy. 24" & 42" Bullard vertical. Vernon vertical jig borer.
Pratt & Whitney jig borer.
No. 42 Heald Borematic, 2 spdl.
Nos. 47A & 48A Heald Borematics.

BROACHES

2 ton American vertical hydraulic. Twin Ten Oilgear hydraulic. No. 3XA Oilgear hydraulic. No. 3 Lapointe screw type. No. 1 Foote Burt duplex surface. 9 ton American surface. 30 ton No. V48 American surface.

DRILLS, RADIAL

7'-16" American. 6'-15" Cincinnati Bickford. 6'-16" Dreses.

4' American triple purpose. 4' Cincinnati Bickford full univ. 4' Hammond elbow arm.

DRILLS, MULTIPLE AND MISCELLANEOUS

No. B4A Natco multiple.
42 spindle No. B16 Natco.
34 spindle No. 30 Natco multiple.
22 spindle No. 14 Natco multiple.
24 spindle No. 1 Natco multiple.
8 spindle No. 1 Natco multiple.
12 spil. No. 25 Baush hydr. rail. 12 spindle No. 39 Natco rail. Baush double end multiple. No. 15½ Foote Burt hydraulic.

Munson heavy double end borer,
centerer, drill or tapper.

No. 4 HH Baker horizontal 2-way.

Barnes 2 spindle deep hole. 5 spindle Detroit horizontal. No. 30 HO Baker inverted.

MILLING MACHINES PLAIN. UNIVERSAL. VERTICAL

Fray All Angle vertical, hydr. feed. No. 2-AS Milwaukee plain. No. 3 Van Norman duplex. Nos. 3B & 4B Milwaukee plain. No. 3 Cincinnati universal. No. 2 Cincinnati vert., rotary table. No. 2M Cincinnati vertical. No. 2H Milwaukee vertical, rotary

table No. 3 Cincinnati vertical, one with

rotary table. No. 3V Van Norman vertical. No. 3V Van Norman vertical. No. 3H Milwaukee vertical. No. 4H Kearney & Trecker vert. No. 4 Cincinnati high power vert. Nos. 1-18, 2-18 & 2-24 Cincinnati.

PLANERS

30" x 24" x 6' Liberty openside. 36" x 30" x 10' Cleveland openside.

SHAPERS

6" Pratt & Whitney vertical. 16" Gemco. 16", 20", 24", 28" Gould & Eberhardt. 20" & 24" Gemco universal. 24" Columbia universal.

MILES MACHINERY CO. SAGINAW, MICH.

Hational High Duty Upsetting & Forg. Machs. guided overarm heading slides, susp. slides, 2" 3",

Ajax Upsetting & Forg. Machs. susp. slides 11/4", 21/2"

Ajax and Acme Upsetters, not susp. slides 1/4", 1", 11/2", 21/2", 3"

W. W. Buildozers High Speed #1, #24 W. W. Bulldozers #4, #26, #29

Single and Double End Punches, wide variety of caps and throat depths

Open Back Incl. Presses 8-ton to 50-ton Solid Back Presses 20 to 50-ton

Trimming Presses 50- to 185-ton

Bradley Hammers, wide variety Upright Helve & Compact

Nazel Air Forg. Hammers #1-8, #2-8, #6-8 K. & R. Angle Bending Roll, 31/2x3/6

Ryerson Serpentine Throatless Shear 1/2" Bending Rolls 8', 1/2", 13', 5/4"

Niles Plate Leveller 60"x1/2

BOLT, NUT & RIVET MACHINERY. COLD HEADERS, COLD BOLT TRIM-MERS, THREAD ROLLERS, SLOTTERS, HOT HEADERS AND TRIMMERS. COLD AND HOT PUNCH NUT MACHINES, POINTERS, THREADERS, WOOD SCREW EQUIPMENT

Diamond Face Grinder, Segment Wheel 36", Table 84x24", Hydraulic operated

Landis Motor Driven Pipe Threader 8"

DONAHUE STEEL PRODUCTS CO.

1913 W. 74th Street, Chicago 36, III.

HEAVY EQUIPMENT FOR SALE

TEAT EQUIFMENT TON SALL AJAX 11/2", 31/2" Upsetter and Forging Motor Drive BIRDSBORO 325 Ton Vertical Press Hydraulic New 1942 BULLARD 16 6-spindle Multaumatic New 1943 CLEARING 50 Ton Hyd. Press New 1940 CRANES from 5 to 30 ton cap. 230 volts DC DILL 20-24" Vertical Slotter Motor Drive LAKE ERIE 500 Ton Vertical Press Hyd. New 1944 LEBLOND #2 Rifling & Reaming Machines NILES 600 Ton Horiz: wheel press Motor Drive NILES 100" Vertical Boring Mill 2 swivel heads, MD NIAGARA 1000, 1200 KVA Transformers QUICKWORK 3/4", 1" cap. rotary shear Motor Drive UNITED ENG. 2,000-ton Hyd. Steam

HARRISON MACHINERY EXCHANGE, INC.

Harrison, N. J. South 4th St. Tel.: HUMBOLDT 2-5750: 2-5775

FOR SALE

One brand new Model AS Vertical Centrifugal Casting Machine, 5 H.P., driving unit with speed range of 0.600 R.P.M. for operation on 220 volt, 60 cycle, 3 phase power, complete with control cabinet. If interested, please reply to

BOX F-819

Care The Iron Age, 100 E. 42nd St., New York 17

FOR SALE Ready for Use

Barnesdril—#307 Single Spindle Hydraulic Honing Machine Planer—36'' x 36'' x 12' Niles-Bement-Pond

THE VIMALERT COMPANY, LTD.


Jersey City 5, N. J. Delaware 3-6400

WE MOVE FACTORIES

ANYWHERES MIKE KRASILOVSKY 220 CENTRE STREET, N. Y. 13, N. Y. . Tel. CAnal 6-1130

ENGINEERED REBUILT MACHINE TOOLS

14' x 50' (34' centers) NILES LATHE



14' x 50' (34' centers) NILES SCREW CUTTING ENGINE LATHE, Power rapid traverse to carriage, compound rest. Arranged for motor drive.

0.0	ECI	21	CAT	10	NIC.
22	E/vi	E.	CAT	10	M2:

SPECIFICATIONS:	
Max. swing over ways	174"
Swing over carriage, gap piece out	153"
Swing over carriage, gap piece in	138"
Takes between centers, max.	408"
Steel spindle bearings, front	22"
Steel spindle bearings, rear	14"
Diameter of face plate	144"
Face of steel internal driven gear	8"
Carriage bearing on ways	88"
Feeds 27; range per RPM .010 to	
Threading range 100	in di

Steady rest range, dia. 28" to 50"
Tailstock bearing on bed 87" x 72"
Tailstock spindle—12"; adjustment 24"
Speed range, RPM .233 ta 23
Lada screw diameter 3%"

Main drive motor, power rapid tra-verse motor and motor for moving tailstock. Compound rest, four face plate chuck jaws, steady rest. Net weight, appx. (ibs.) 190,000 Boxed wgt. appx. (ibs.) 210,000

LATHES

44" Hyde Park Roll Turning

90" Putnam Driving Wheel

Putnam and Niles Axle Turning

Niles Gap Type Journal Turning

60" x 28' Niles, Heavy Forging

50" x 50' Pittsburgh Engine

48" x 18' American Super-Productive

42" x 32' American High Duty

36" x 24' Niles "Timesaver"

36" x 20' Lodge-Shipley, 18-Speeds

30" x 10' American, 12-Speeds

24" x 12' American, 12-Speeds

20" x 10' Lodge-Shipley, 12-Speeds

18" x 6' American, 12-Speeds

16" x 6' American, 8-Speeds

10" x 20" Monarch "Sensitive Preci-

SIMMONS MACHINE TOOL CORPORATION INGINITED MAIN OFFICE AND PLANT: 1721 N. BROADWAY, ALBANY 1, N. Y. NEW YORK OFFICE: 50 EAST 42ND STREET REBUILDING

LATEST TYPE MACH NEARLY

AUTOMATIC SCREW MACHINES
BROWN & SHARPE #2G High Speed, Latest Type
BROWN & SHARPE #4-2" cap., Latest Type
CONOMATIC 2%"-6 spindle, Latest Type
GOSS & DeLEEUW 8" Automatic Chucker, 5 spindles

GONOMATIC 2%"—6 spindle, Latest Type
GONOMATIC GILBERT 3½" bar, floor type, latest
DETRICK & HARVEY 4" bar, Floor Type, M.D.
GIDDINOS & LEWIS 225, 2½" bar, M.D.
GIDDINOS & LEWIS 225, 2½" bar, M.D.
GIDDINOS & LEWIS 225, 2½" bar, floor type
NILPS BEMENT POND 5", 6" bar, floor type
NILPS BEMENT POND 5", 6" bar, floor type
NILPS BEMENT POND 5", 6" bar, floor type
BORNG MILLS—Vertical
BULLARD 16", 6 & 8 spindle Multaumatic, Latest Type
BULLARD 36" Vertical Turret, Spinal Drive, Latest
BULLARD 61" "Maxi-Miller", 2 heads, Motor Drive
BULLARD 61" "Maxi-Miller", 2 heads, Motor Drive
BULLARD 61" "Maxi-Miller", 2 heads, M.D.
SULES 38" 4" Vertical Turret will side head, M.D.
SULES 38" 4" Vertical Turret will side head, M.D.
SULES 30", 2 swivel heads, PRT, DC, M.D.
GEAR CUTTING EQUIPMENT
FELLOWS 261, 271, 272, 275, 261A, 277 High

NILES 100", 2 swivel beads, PRT, DC, M.D. GEAR CUTTING EQUIPMENT
PELLOWS 261, 27A, 272, 275, 261A, 277 High Speed Gear Shapers, litest type FELLOWS 27, 2622, Gear Shaper, High Speed, latest GLEASON 3", 12" straight bevel generator, Latest Type GOULD & EBERHARDT 212H, 212HS Hobber, Latest GRINDERS—Cyl.—Pidia & Univ.
BROWN & SHARPE 21, 2, Universal, Latest BROWN & SHARPE 25 Piain, 3 x 12, Latest Type HROWN & SHARPE 22 01 ox 18 piain, latest type GINCINNATI 6" x 18" Piain, Model EA, Hyd., latest LANDIS 4812, 4718, Type H Piain Hyd., Latest VORTON 6x18", 10x72", 14x36", Type C, Piain, latest GRINDERS—Miscellaneous
IINCINNATI 22 Centerless "Filmatic," latest CINCINNATI Centreless Lapper, Model ED, Latest HEALD 72A, 72A5 "Gagematic," Internal, Latest HEALD 75A, 72A3, 72A5 "Gagematic," Internal, Latest HEALD 75A, 72A3, 72A5 "74, 70A Internal, Latest HEALD 75A, 72A3, 72A5 "74, 70A Internal, Latest HEALD 75A, 72A5, 72A5 "Chick, Motor Drive

GALLMEYER & LIVINGSTON 235, 8"x24", Latest HEALD 222 Rotary, 12" churk, latest type
HEALD 25A—rotary—16" and 36" churk, lyd., Latest THOMPSON 12x12x24 Type D Hyd., Latest Type
HEALD 25A—rotary—16" and 36" churk, lyd., Latest
HEALD 25A—rotary—16" and 36" churk, lyd., Latest
HEALD 25A—rotary—16" and 36" churk, lyd., Latest
HEALD 25A—rotary—16" and 16" churk, lyd., Latest
HEALD 25A—rotary—16" and 16" churk, latest Type
HATHES—Engine & Mfg.

AMERICAN 86"x360" centers, 2 carriages motor drive
JONES & LAMSON "Fay" 20x25" automatic, latest
LEHMANN 16x30" centers, Timken, latest type
LOSWING 450, 4x44, 8x50, 8x108, 5x34, Latest
MONARCH 12"x36" centers, Timken, Latest Type
MONARCH 16"x36" centers, 3 carriage, Timken Bear
ing, motor drive
NILES 72"x52" centers, comb. Boring & Turning, M.D.
NILES 30x50" Boring, Timken, Latest Type
NILES 48x8" centers, comb. boring and turning, M.D.
SPRINGFIELD 16"x30" centers, Timken, latest
type
WARD. HAGGAS & SMITH—18/30x66" centers gap.
LATHES—Turret
BARDONS & OLIVER #5, #7, TIMKEN, Latest
GISHOLT #1L, #2L, Universal, Timken, Latest
GISHOLT #1L, #2L, Universal, Timken, Latest
GISHOLT #1L, #2L, Universal, Timken, Latest
HORRY NO. 2G. No. 3, No. 4, Timken Bearing, latest
POTTER & JOHNSTON #5D, #5DeE, Timken, latest
WARNER & SWASEY #1A, Univ. Timken, Latest
WARNER & SWASEY #1A, Univ. Timken, latest
WARNER & SWASEY #2A Universal, Timken, latest
WARNER & SWASEY #1A, Univ., Timken, latest
WARNER & SWA

CINCINNATI 0-8 Automatic rise and fall, Latest CINCINNATI 1-12, 2-18 Auto. Latest Type CINCINNATI #4 TIMKEN, Motor Drive CINCINNATI #4-36 Hydromatic, Simplex, Latest Type KEARNEY & TRECKER #3, 4, Heavy, Timken, M.D. KEMPSMITH #4 Maximiller, Timken, latest type

KEMPSMITH #4 Maximiller, Timken, latest type
MILLING MACHINES—Thread
HANSON & WHITNEY 4" x 9" centers, Latest Type
LEES BRADNER 12" x 24" centers Model HT, Latest
MOREY 12 x 30", 60", 120", 190" centers, Latest
PRATT & WHITNEY 6"x60" centers, Model C, Latest
MILLING MACHINES—Universal
CINCINNATT #3 High Speed Dial, Latest Type
KEARNEY & TRECKER #2 Heavy. Timken, M.D.
KEMPSMITH #4 Maxi-miller, Timken, Latest
VAN NORMAN #12, #36, Timken, Latest Type

VAN NORMAN #12, #30, Timken, Latest Type
MILLING MACHINES—Vertical
CINCINNATI #2, #3, #4 Dial Type; Timken; latest
GORTON 9J, hand feed, Latest Type
KEARNEY & TRECKER 3H, Timken, Latest
REED PRENTICE 3VG, Timken, Latest

PRESSES PRESSES
CLEARING Type D8-1125-32 dbl. action 125 ton, Latest
FERRACUTE #DG-55, 75 ton drawing, Latest Type
LAKE ERIE 500 ton Vert., Hyd., Latest Type

MISCELLANEOUS

MISCELLANEOUS

AJAX 1½", 2", 3½" Forging and Upsetting, M.D.
BARNES #172, 306H, 307 Vertical Hone, Hydraulic,
Self-Oiling, Latest Type
CAMPBEIL, #401 Abrasive Saw, Latest Type
CINCINNATI 1-30, 3-30, Duplex Vert, Surface Broach,
Double ram, Model E.R., Hyd., Latest Type
MICHIGAN #1708A Cutter Reliever, Latest Type
NATCO 4BL Adj. Mult. Smdle, Drill, 36 spdles, Latest
PRATT & WHITNEY (KELLER) Type BL-2416, Type
G. Copying, latest type, 2 & 3 Dimensional
PRATT & WHITNEY ½BX50 Rifler, Latest Type
QUICKWORK ¾" x 1" cap. Rotary Shear—M.D.

Most Built After 1941

Available for Prompt Shipment

(Partial List) Over 2,000 Machine Tools in Stock. Your Inquiries Are Invited . . . Prompt Service Is Assured

MACHINERY CO., INC. BROOME & LAFAYETTE STS., NEW YORK 13, N. Y. **TELEPHONE: CANAL 6-5360** CABLE ADDRESS: WOODWORK, N. Y.

20 - 2 m m m m o

SALE lotor Drive New 1942 43 C w 1944

rive heads, MD

r Drive

chs. guided

variety of

f Helve &

·B. #6-8

HINERY. TRIM-

OTTERS.

MMERS.

NUT

ADERS.

NT 6", Table

CO. , 111.

0 1 5

0

80

des

les

4

on, N. J.

entrifugal ith speed 220 volt, h control York 17

ydraulic ent-Pond LTD.

re 3-6400

RIES

SKY

THE CLEARING HOUSE

WORLD'S LARGEST STOCK



33/4-A BLISS **TOGGLE PRESSES** AT SPECIAL LOW PRICES

HUNDREDS OF OTHERS IN STOCK

JOSEPH HYMAN

Tioga, Livingston & Almond Sts. PHILADELPHIA 34, PA.

Bliss No. 1½, 1½B, 3½A, 3½B, 3½C, 4 & 16 Toggle Draw Presses all with Friction Clutches

Cincinnati 36" x 36" x 16 ft. Planer, M. D. Lewis Nos. 3F & 4F Straighteners & Cutters Lucas No. 43 Precision Boring Mill, M.D. National Auto. Nut Tappers-1/4", %" 7/4" cap.

Waterbury Farrel Cold Headers & Thread Rollers, Nes. 10, 20, 30, 40 & 50. Woodward & Powell 42" x 42" x 36 ft. Four

Head Planer.

National Machinery Exchange, Inc. 128-138 Mott Street New York, N. Y.
"IF IT'S MACHINERY, WE HAVE IT"

COMPRESSORS - VACUUM PUMPS STATIONARY - PORTABLE ELECTRIC - GAS - DIESEL - STEAM SALE OR RENT

New or Guaranteed Rebuilt AMERICAN AIR COMPRESSOR CORP. 48th STREET & DELL AVENUE NORTH BERGEN, NEW JERSEY Telephone: Union 5-4848

KNOX

AIR COMPRESSORS FULLY GUARANTEED

EARL E. KNOX COMPANY



RE-NU-RILT GUARANTEED **ELECTRIC POWER**

EQUIPMENT D.C. MOTORS

			MOIOKS		
Qu.	HP	Make	Туре	Volts	RPM
4	1500	Whae.		525	600
4	1000	Whse.		450	600
1	700	Q. E.	MCF	600	150/525
1	630	G. E.	MPC	250	115/145
1	600	G. E.	MPC	600	650
3	500	Whae.		230	300/600
2	335	Whee.	MQ	250	300/900
1	275	Whae.	QM	230	425/850
1	230	Al. Ch.		230	700
1	258	G. B.	MPC	230	409/500
1	220	Whee.	SK-153.5	230	2975
1	180	Q. E.	MPC	230	400/1000
1	130	G. E.		694	250/750
1.	150	Cr. Wh.	CCM	230	300/1050
1	150	Cr. Wh.	65H	230	1150
10	150	Cr. Wh.	83H-TEFC	230	960
1	150	G. E.	MTC	230	250/450
1	100	Rel.	1050T	230	400/1200
1	100	G. E.	CD-175	280	365/730
1	100/150	Whae.	SK-200	550	600
1	125	El. Dy.	308	230	750/1500
1	115	Cr. Wh.	JHL	230	1200
1	100	Whee.	SK-182	230	300/1200
1	50/100		MPC	230	225/450
4	100	Whee.	SK-184.5	230	475/950
1	9.0	Whas.	SK-180	230	450/1209
6	75	Cr. Wh.	53H	230	860
1	75	Whse.	SK-180L	115	6.50
3	65	Whse.	SK-170	230	575
1	60	El. Dy.	258	230	525/1050
1	69	Whee.	SK	230	500/1000
1	50	G. E.	RC-34	230	1050
1	50	Cr. Wh.	CCM	289	1750
1	50	Cr. Wh.	CMC-65H	230	500/1000
1	50	G. E.	CD-123	230	675/1035
7	58	El Dy.	508	500	194/775
7	50	Cr. Wh.	CMC-80H	230	380/750
1	15/50	Cr. Wh.	CMC-8111	230	300/900
9	40	G. E.	CD-1129	230	850/1275
6	25/30	G. E.	CD-105	230	690/2070
	20/20	MILL		2.00	4007 2011
2	125	G. E.	CO-1832	230	625
2	80	Whee.	Holat	230	415
2	50	Whee.	lioist	230	415
4	50	Whae.	Hoist	230	400
2	30	G. E.	MD-104% A		
1	19	G F	MID-104 % A		700

BELYEA COMPANY, INC.

47 Howell Street, Jersey City 6, N. J.

HORNING PRESSES REBUILT GUARANTEED

- (3) #14 Toledo, flywheel type, 3" stroke, swinging adjustable table, 30 ton cap. special flanged ram 8" x 24", belt drive.
- (1) #14 Toledo, flywheel type, 3" stroke, vertical adjustable table, 30 ton cap. standard ram, belt drive.

HAHN & BRANDT MACHINERY CO. #465 N. 5th St. Phila, 23, Pa.

ELECTRIC CRANES and HOISTS

N. B. PAYNE & CO., INC. 105 W. 55 St., New York 19 Tel. Circle 76730

I-10,000 mew Shepard Form 23, Motor Driven Trolley Hoist PB control for 220 AC.

-2000 E. Cap. Shepard New Form 8 Eice. Hoist for 110/1/60 AC.

-30 ton Cap. Hand powerhouse Crane, 40' span, very good condition.

-55 KW Nordberg Westinghouse Diesel Generator Set for 2400/3/60 AC, comp. Very good condition.

Set for 2400/3/80 AC, comp. Very good condition
HAWKINS & COMPANY
130 S. MICHIGAN AVE., CHICAGO 3, ILL.
Ph: Har. 0725

LOCOMOTIVE & CATERPILLAR CRANES

40 ton BROWNING Lees. Crane 35 ton INDUSTRIAL DIESEL Lees. Crane 5-20 & 25 OHIO Lees. Cranes 2—15 ton INDUSTRIAL Lees. Cranes 1—10 ton P&H 40° Boom Gas Cat. 15 ton INDUSTRIAL 50° Boom Gas Cat. R. C. STANHOPE, INC. 60 East 42nd St. New York 17, N. Y. D. C. MOTORS & GENERATORS, Etc.

	GENER	ATORS	
Kw. 500 330 300 300 250 200 150 150 150 150	GENER Make West. Eillett G.E. Al.Ch. G.E. G.E. Cr.Wh. West. West. West. West. West.	ATORS Veltage 250 250 250 250 125 250 600 250 125 125 125 125	\$peed 100 200 200 200 200 200 900 900 200 200 200 900
100	G.E.	125	1200
100	El. Mchy.	125	1200
**-		ORS	
He. 765 (8) 300 1500 1500 1500 1500 1500 1500 755 75 600 500 500 500 500 400 400 400 400 400 4	Make G.E. Wost. G.E. G.E. Cr.Wh. G.E. Cr.Wh. West. G.E. West. West. West. West. West. West. West.	Voltage 559 125 230 230 230 230 230 230 230 230 230 230	Speed 1045/1350 900 900 900 400/1200 1750 900 375/750 635 630 1500 7500 1500 1500 1500 1500 1500 150
40 D.	C. AUTOM	ATIC START	1750
300 100	West. West. G.E. D. C.	230 125 230 HOISTS	
17—Ner Send	w-2 ton She	pard-Niles—23 nplete list l	
	L. J. LA	ND, INC.	

150 GRAND STREET, NEW YORK 13, N. Y.
Canal 6-6676

1—400 amp. Hansen welder purchased new in 1941. Type WK400, 400 amp., NEMA rated, portable, consisting of 40 volt generator complete with single current control, also polarity switch, driven by a 220/440 volt, 3 phase, 60 cycle motor, complete with push button starter and overload protection. Unit mounted on wheels with solid rubber tires. Serial #220477.

1-400 amp. Hansen welder purchased ne in 1943. Type WK400, 400 amp., NEMA rated, portable, consisting of 40 volt generator with polarity switch and driven by 440 volt, 3 phase, 60 cycle motor, complete with Allen-Bradley magnetic type states having the second netic type starter, having thermal over-load protection and low voltage release. Unit mounted on rubber tired wheels. Serial #235419.

WISCONSIN ELECTRIC POWER CO.

P.O. Box 2046-231 West Michigan St. MILWAUKEE 1, WISCONSIN

GENERATORS MOTORS Large & Small POWER & EQUIPMENT

Send us your Inquiries CHAMPION ELECTRIC MOTOR CO. 187 Centre St., N. Y. C. M. Land, Prop.

LIFTING MAGNETS

18", 20", 29", 36", 45", 55", also rectangular magnets, generator reels, controllers.

New magnets also

Goodman Electric Machinery Co. 1060 Broad St. Newark 2, N. J.

OVERHEAD CRANES & HOISTS

I-25-35 ton Morgan 10 ton auxiliary, 60'0" span, 230 volts D.C. Reconditioned 1941.
25 Electric Hoists 1900s to 13-ton capacity, monorall type, 220/3/80 or 230 VDC.
Will sell as is or reconditioned. Single and 2 motor.
Will sell as is or reconditioned. Single and 2 motor.
Will sell as is or reconditioned. Single and 2 motor.
Arion of the sell sell sell arions and holds.
JAMES P. ARMEL.
710 House Bide.
Pittahurah 22. Pa.

710 House Bide. Tel.: Grant 4449 Pittsburgh 22, Pa.

-THE CLEARING HOUSE

MOTORS-CRANES-M. G. SETS

In Stock—Immediate Shipment—Rebuilt and Guaranteed

RS, Etc.

Speed 1045/1350 900 800 400/1200 400/1200 1750 900 500/1380 375/750 635

635 680 480/1100 500/1500 750 585 250/1000 400/1500 400/1500 1750 585

3. N. Y.

sed new , NEMA 40 volt current en by a

motor, ter and

nted on

sed new NEMA

40 volt

O cycle ey mag-al over-

release.

wheels

R CO.

ORS

R CO.

d, Prop.

angular

2, N. J.

STS

apan. y, mene

2 motor.

h 22, Pa

St.

N

T

S

		SELLED DIVINIS	b 407
Tons	Make	Span	Gurrent
5	Shepard	68'2"	115-VDC.
(With	above 146'0"	A-Frame Steel	Runway)
736	Erie	78'0"	220-VAC.
(With	above 250'0"	A-Frame Runw	ay)
10	Northern	37'11"	230-VDC.
10	Cleveland	59'0"	230-VDC.

SQUIRREL CAGE MOTORS

		3-PHASE	68-CYCLE		
Qu.	H.P.	Make	Type	Velts	RPM.
2	40	Al. Ch.	AR	440	860
1	40	Master	PA-445	440	1200
8	50	Whas.	C8	440	690
1	50	F.M.	H-16-A	440	900
1	50	Al. Ch.	AR-220D	440	1158
î.	50	Ideal	AT-445	440	1750
1	60	Whse.	C8-607	440	880
1	75	G.E.	KT-356	440	860
1	75	G.E.	KF-542	440	1200
	75	Whee.	CB	440	1750
1	75	Al. Ch.	AR	2300	1765
5	100	F.M.	HS-201C	440	880
1	100	Whse.	C8-766	2300	1170
2	100	G.E.	KT-556	2200	865
1	100	G.E.	K-544	2300	1175
1	100	Al. Ch.	AR	2200	1160
1	100	G.E.	I-K	440	1800
3	100	Whae.	CS-663	440	1750
2	125	Al. Ch.	AR	440	435
1	125	Whae.	CS-761	440	1750
1	125	Whse.	CS-7728	2200	1170
1	150	G.E.	I-K	440	690
1	150	El. Mehy.	B.B.	440	1200
1	150	Whse.	CS-7729	2200	1170
1	206	Al. Ch.	AR	440	600
1	250	Whse.	CS	2200	1200

SYNCHRONOUS MOTORS ALTERNATORS

		3-PHASE	60-CYC	LE	
Qu.	HP.	Make	P.F.	Volts	RPM.
1	30	Whae.	.8.	220	1800
2	50	G.E.	.8	2200	600
1	60	G.E.	. 8	440	1200
9	100	G.E.	.8	440	600
1	100	Ideal	. 8	220	900
1	100	Whae.	1.0	2200	1200
3	100	Whae.	. 8	440	1800
2	125	G.E.	-8	2200	900
1	150	G.E.	1.0	2300	900
1	220	G.E.	.8	480	720
L	400	Whse.	.8	440	600

3 New G.E. generators 1000 K.V.A. er 1250 H.P. Syn. Motor: 4160/2300 v 3 p 60 cy. 900 R.P.M. 1.0 PF dir. con. exciters.

MOTOR GENERATOR SETS

				AGILES	4.0112	
Qu.	. KW	Make	RPM.	D.C.	A.G.	
1	536	G.E.	1800	250	220/4-9	
1	9	G.E.	1800	250	220/440	
1 -4 - 3 0 m m m m m m 3 m m m	23	Whse.	1200	120/240	220/440	
3	50	Whae.	1200	120/240	440/2300	
2	35	G.E.	1800	125	220/440	
1	50	Lo. Al.	1200	120/240	440/2200	
1	75	Whae.	1200	125	220/440	
1	75	Al. Ch.	900	250	2200	
1	100	G.E.	1200	250	440/2300	
1	100	C.W.	1200	250	140/2300	
3	150	C.W.	1200	300	440/2200	
1	2004	Whse.	1200	125/250	2300	
1	400	Whse.	720	550/275	2300	
1	600	G.E.	720	300	2200	
2	1000	G.E.	514	600	4150/2300	

G.E. Rotary Convertor, 2025/2565 KW, 225/-285-VDC., 450-RPM., complete with A.C. and D.C. panels and control, 2760 K.V.A. trans-former, OISC, 6900-V., 3-Ph., 60-Cy.

SLIP RING MOTORS-CONSTANT DUTY

4 25 G.E. MT-526 440 840 25 G.E. MT-3232 2200 850 2 23 Whse. CW-4810 220 1750 3 Whee. CW-4810 220 1750 3 Whee. CW-4810 220 1750 3 40 G.E. MT-346 550 5 40 G.E. MT-346 550 5 40 G.E. MT-536 2200 1150 1 50 Al. Cb. ARY 2200 480 1 75 G.E1-M 2200 695 1 125 Al. Cb. ARY 440 800 1 150 G.E. 1-M 220 601 1 150 G.E. 1-M 220 601 1 250 Whee. CW-854C 550 690 1 250 Whee. CW-1106 2200 536 1 300 Al. Cb. ARY 2200 600 1 250 Whee. CW-1106 2200 536 1 300 Al. Cb. ARY 2200 600 1 250 Whee. CW-1106 2200 536 1 300 G.E. 1-M 2200 600 1 400 G.E. 1-M 2200 600 1 400 G.E. 1-M 2200 600 1 400 G.E. 1-M 2200 505 1 300 Al. Cb. ARY 2200 505 1 300 G.E. 1-M 2200 505 1 300 G.E. MT-412 2200 799 1 400 G.E. MT-412 2200 799 1 400 G.E. MT-412 2200 799 1 5 5 G.E. MT-414 2200 799 1 5 7 50 G.E.			3-1 HAG		22.55	001
1 25 G.E. MT-332 2200 850 1 25 Whise CW-4810 220 1750 1 40 Al. Ch. ARY 2200 435 3 40 G.E. MT-346 550 550 3 40 G.E. I-M 400 1170 1 50 Al. Ch. ARY 2200 435 1 50 G.E. I-M 220 615 1 75 G.E. I-M 220 615 1 100 Whise CW-854C 550 690 1 125 Al. Ch. ARY 2200 1150 1 150 G.E. I-M 220 615 1 150 G.E. I-M 220 615 1 250 Whise CW-854C 550 690 1 250 G.E. I-M 220 615 1 300 G.E. I-M 2200 616 1 300 G.E. I-M 2200 610 1 250 Whise CW-1106 2200 586 1 300 Al. Ch. ARY 2200 600 1 250 Whise CW-1106 2200 586 1 300 G.E. I-M 2200 600 1 250 G.E. I-M 2200 505 1 300 G.E. MT-412 2200 719 1 500 G.E. MT-412 2200 719 1 500 G.E. MT-412 2200 709	Qu.	HP.	Make	Туре	Volts	RPM.
2 25 Whee. CW-4810 220 1750 1 30 Whae. CW 440 1160 1 40 Al. Ch. ARY 2290 435 3 40 G.E. MT 346 550 560 3 40 G.E. I-M 460 1170 1 50 Al. Ch. ARY 2200 150 1 75 G.E. MT-536 2290 150 1 100 Whee. CW-854C 550 690 1 123 Al. Ch. ARY 440 910 1 150 G.E. I-M 2200 895 1 150 G.E. I-M 2200 150 2 0 G.E. I-M 2200 150 2 0 G.E. I-M 2200 505 1 300 Al. Ch. ARY 2200 505 1 300 Al. Ch. ARY 2200 505 1 300 Al. Ch. ARY 2200 505 1 300 G.E. I-M 2200 506 1 300 G.E. MT-412 2200 719 1 400 G.E. MT-412 2200 709 1 50 G.E. MT-412 700	4	25				
1 30 Whas. CW 440 1160 1 40 AL Ch. ARY 2200 435 3 40 G.E. MT 345 550 560 3 40 G.E. L-M 600 1170 1 50 AL Ch. ARY 2200 493 2 50 G.E. MT-536 2200 1150 1 75 G.E. I-M 220 695 1 100 Whse. CW-854C 550 690 1 125 AL Ch. ARY 440 900 1 150 G.E. I-M 2200 1150 1 50 G.E. I-M 2200 605 1 150 G.E. I-M 200 1180 1 250 Whse. CW-810 200 506 2 300 AL Ch. ARY 2200 600 1 250 Whse. CW-1106 2200 536 3 300 AL Ch. ANY 2200 600 1 300 G.E. I-M 2200 505 1 300 G.E. MT-412 2200 719 1 400 G.E. MT-412 2200 709 1 50 G.	1	25	G.E.			
1 30 Whise CW 440 1160 1 40 AL Ch. ARY 2200 435 3 40 G.E. MT 345 550 550 3 40 G.E. I-M 600 1170 1 50 AL Ch. ARY 2200 493 2 50 G.E. MT-536 2200 1150 1 75 G.E. I-M 220 695 1 100 Whise CW-654C 550 690 1 125 AL Ch. ARY 440 890 1 150 G.E. I-P 440 1180 1 150 G.E. I-P 440 1180 1 200 AL Ch. ARY 2200 600 2 200 AL Ch. ARY 2200 600 2 250 Whise CW-1106 2200 505 3 300 AL Ch. ANY 2200 505 3 300 G.E. I-M 2200 505 3 300 G.E. I-M 2200 505 3 300 G.E. I-M 2200 505 4 400 G.E. I-M 2200 505 4 600 G.E. I-M 2200 505 4 600 G.E. I-M 2200 505 4 600 G.E. I-M 2200 709 1 400 G.E. MT-412 2200 719 1 50 G.E. MT-412 2200 709 1 50 G.E. MT-414 2200 709 1 50 G.E. MT-412 700 1 50 G.E. MT-412 700 1 50 G.E. MT-412 700 1 50 G.E. MT-412	2	25	Whee.			
3	1	30	Whae.	CW		
3° 40 G.E. I-M 600 1170 1 50 Al. Ch. ARY 2200 490 2 50 G.E. MT-536 2290 1150 1 75 G.E. I-M 220 605 1 100 Whee CW-854C 550 690 1 125 Al. Ch. ARY 440 990 1 150 G.E. I-P 440 1380 1 150 G.E. I-P 2200 1750 2 09 G.E. I-M 2200 600 2 09 Al. Ch. ARY 2200 600 1 250 Whee. CW-1106 2200 506 1 300 Al. Ch. ARY 2200 500 1 300 G.E. I-M 2200 500 1 300 G.E. I-M 2200 500 1 400 G.E. I-M 2200 505 1 400 G.E. MT-412 2200 719 1 450 G.E. MT-412 2200 779 1 5 1200 Whee. CW-1141 2200 709 1 5 1200 Whee. CW-1141 2200 709 1 5 1200 Whee. CW-4114 2200 709 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	1	40	Al. Ch.	ARY		
1 50 Al. Ch. ARY 2200 499 2 50 G.E. MT-536 2200 1150 1 75 G.E. I-M 220 695 1 100 Whise CW-854C 550 690 1 150 G.E. I-M 220 1150 1 150 G.E. I-M 220 615 1 150 G.E. I-M 2200 1750 2 00 Al. Ch. ANY 2200 600 2 250 Whise CW-1106 2200 586 3 300 Al. Ch. ANY 2200 505 3 300 G.E. I-M 2200 505 4 406 G.E. I-M 2200 505 1 300 G.E. I-M 2200 709 1 406 G.E. MT-412 2200 719 1 50 G.E. MT-412 2200 709 1 50 G.E. MT-412 700 1	3	40	G.E.			
1 50 Al. Ch. ARY 2200 490 2 50 G.E. MT-536 2200 1150 1 75 G.E. I-M 220 695 1 100 Whse. CW-634C 550 690 1 125 Al. Ch. ARY 440 890 1 150 G.E. I-P 440 1180 1 150 G.E. I-M 2200 1750 2 00 G.E. I-M 2200 1750 2 00 Al. Ch. ARY 2200 600 1 250 Whse. CW-1106 2200 506 1 300 Al. Ch. ANY 2200 600 1 300 Al. Ch. ANY 2200 600 1 300 G.E. I-M 2200 505 1 300 G.E. MT-412 2200 719 1 400 G.E. MT-412 2200 719 1 50 G.E. MT-412 2200 709 1 50 G.E. MT-414 700	3*	40	G.E.	1-31		
1 75 G.E. I-M 220 605 1 100 Whise CW-854C 550 690 1 125 Al. Ch. ARY 440 900 1 150 G.E. I-Y 440 1180 1 150 G.E. I-Y 2200 1750 200 G.E. I-M 2200 600 1 250 Whise CW-1106 2200 506 1 300 Al. Ch. ARY 2200 600 1 300 Al. Ch. ARY 2200 600 1 300 G.E. I-M 2200 505 1 300 G.E. I-M 2200 505 1 300 G.E. I-M 2200 1200 1 400 G.E. I-M 2200 505 1 400 G.E. I-M 2200 709 1 400 G.E. MT 412 2200 719 1 600 G.E. MT 412 2200 719 1 75 G.E. MT 412 2200 709 1 7	1	50	Al. Ch.			
1 100 Whee CW-854C 550 690 125 Al Ch. ARY 440 980 150 G.E. 1-P 440 1380 150 G.E. 1-W 2200 600 1250 G.E. 1-M 2200 600 1250 Whee. CW-1106 2200 380 380 Al Ck. ANY 2200 500 G.E. 1-M 2200 380 1300 Al Ck. ANY 2200 300 G.E. 1-M 2200 300 1200 G.E. MT-412 2200 719 100 G.E. MT-412 2200 719 100 G.E. MT-412 2200 709 100 To G.E. MT-414 700 TO G.E. M	-23	50	G.E.	MT-536		
1 125 Al. Ch. ARY 440 990 1 150 G.E. 1-P 440 1180 1 150 G.E. 1-M 2200 1750 200 G.E. 1-M 2200 600 1 200 Al. Ch. ANY 2200 600 2 350 Whse. CW-1106 2200 586 3 300 Al. Ch. ANY 2200 505 3 300 G.E. 1-M 2200 505 4 406 G.E. 1-M 2200 1200 1 406 G.E. 1-M 2200 900 1 406 G.E. MT 2200 257 1 600 G.E. MT-412 2200 719 1 600 G.E. MT-412 2200 719 1 75 G.E. MT-414 2200 709 1 75 G.E. MT-414 709	1	75	G.E.	1-31	220	
150 G.E. 1-P 440 1180 150 G.E. 1-W 2200 1750 200 G.E. 1-W 2200 600 200 Al. Ch. ANY 2200 600 1 250 Whee. CW-1106 2200 580 300 Al. Ck. ANY 2200 500 300 G.E. 1-W 2200 520 1 400 G.E. 1-W 2200 237 1 400 G.E. 1-W 2200 237 1 400 G.E. MT-412 2200 719 1 450 G.E. MT-412 2200 709 1 2 1200 Whee. CW 2200 500 1 2 1200 Whee. CW 2200 500 1 2 1200 Whee. CW 2200 500 2 3 1 4 5 5 6 E. MT-414 2200 709 1 5 1 5 6 E. MT-414 2200 709 1 5 7 5 6 E. MT-414 2200 709 1 6 7 5 6 E. MT-414 2200 709 1 7 7 7 7 8 6 E. MT-414 2200 709 1 8 7 7 8 6 E. MT-414 2200 709 1 8 7 7 8 6 E. MT-414 2200 709 1 8 7 7 8 6 E. MT-414 2200 709 1 8 7 8 6 E. MT-414 2200 709 1 8 7 8 6 E. MT-414 2200 709 1 8 7 8 6 E. MT-414 2200 709 1 8 7 8 6 E. MT-414 2200 709 1 8 7 8 6 E. MT-414 2200 709 1 8 7 8 6 E. MT-414 2200 709 1 8 7 8 6 E. MT-414 2200 709 1 8 7 8 6 E. MT-414 2200 709 1 8 7 8 6 E. MT-414 2200 709 1 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1	100	Whise.	CW-854C	550	690
I 150 G.E. IP. 440 1180 1 150 G.E. IM. 2200 1750 2 200 G.E. IM. 2200 600 2 200 Al. Ch. ANY 2200 600 1 250 Whee. CW-1106 2200 586 3 300 Al. Ck. ANY 2200 500 3 300 G.E. IM. 2200 1200 1 406 G.E. IM. 2200 1200 1 406 G.E. MT-412 2200 779 1 600 G.E. MT-412 2200 779 1 750 G.E. MT-414 2200 709 1 2 1200 Whee. CW 2200 500 1 2 1200 CW 1200 709 1 2 1200 Whee. CW 2200 500	1	125	Al. Ch.	ARY	440	900
1 150 G.E. 1-M 2200 1750 1 200 G.E. 1-M 2200 600 1 200 Al. Ch. ANY 2200 600 1 250 Whee. CW-1106 2200 506 1 300 Al. Ck. ANY 2200 505 1 300 G.E. 1-M 2200 1200 1 400 G.E. 1-M 2200 900 1 406 G.E. MT 2200 257 1 600 G.E. MT-412 2200 719 1 750 G.E. MT-412 2200 709 1 2 1200 Whee. CW 2200 709 1 2 1200 Whee. CW 2200 709 1 2 1200 Whee. CW 2200 709 1 3 1200 CW 3 200 709 1 5 1200 7	1			1. P	440	1180
200 G.E. I-M 2200 600 200 Al. Ch. ANY 2200 600 250 Whee CW-1106 2200 586 300 Al. Ch. ANY 2200 506 300 G.E. I-M 2200 1200 400 G.E. I-M 2200 257 400 G.E. I-M 2200 257 400 G.E. MT-412 2200 779 4750 G.E. MT-414 2200 709 4810 G.E. MT-418 2200	1			1-35	2250	1750
1 200 Al. Ch. ANY 2200 600 250 Whee. CW-1106 2200 586 1 300 Al. Ck. ANY 2200 1200 1 300 G.E. 1-M 2200 1200 1 400 G.E. 1-M 2200 900 1 400 G.E. MT 2200 257 1 600 G.E. MT 412 2200 719 1 750 G.E. MT 412 2200 709 1 21200 Whee. CW 2200 709 1 21200 Whee. CW 2200 709 1 2 1200 Whee. CW 2200 709 1 2 1200 CW 3200 709 1 3 1200 CW 3200 709 1 5 1200 CW 3200 709 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	1	200	G.E.	1-34	2200	600
1 250 Whee CW-1106 2200 S86 1 300 Al Ck ANY 2200 505 1 300 GE I-M 2200 1200 1 400 GE I-M 2200 257 1 450 G.E. MT 412 2200 759 1 750 G.E. MT-412 2200 759 1 2 1200 Whee CW 2200 200 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	200		ANY	2280	600
1 300 Al. Ck. ANY 2200 505 1 300 G.E. 1-M 2200 1200 1 400 G.E. 1-M 2300 900 1 400 G.E. MT 2200 257 1 600 G.E. MT-412 2200 719 1 70 G.E. MT-414 2200 709 1 21200 Whee. CW 2200 500 1 2 1200 Whee. CW 2200 500 1 500 500 500 500 500 1 500 500 500 500 500 1 500 500 500 500 1 500 500 500 500 1 500 500 500 500 1 500 500 500 500 1 500 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 500 1 500 500 1 500 500 500 1 500	1	250		CW-1106	2200	5.86
1 406 G.E. I-M 2300 990 1° 450 G.E. MT 2200 257 1° 600 G.E. MT-412 2200 719 1° 750 G.E. MT-414 2200 709 1° 1200 Whee. CW 2200 709 	1				2200	505
1 406 G.E. I-M 2300 990 1° 450 G.E. MT 2200 257 1° 600 G.E. MT-412 2200 719 1° 750 G.E. MT-414 2200 709 1° 1200 Whee. CW 2200 709 	1	300			2200	1200
1° 450 G.E. MT 2200 257 1° 600 G.E. MT-412 2200 719 1° 750 G.E. MT-414 2200 709 1° 1200 CW 2200 500 	1	400		1-M	2300	
1° 600 G.E. MT-412 2200 719 1° 750 G.E. MT-414 2200 759 1° 1200 Whse. CW 2200 500 "—(0-y, ° — MII) Type 2-Pedestal bearing or cast	100		G.E.	MT	2200	257
1°* 750 G.E. MT-414 2200 709 1°* 1200 Whse. CW 2200 500 "-40-Cy. °*-Mill Type 2-Pedestal bearing on cast	100				2200	
1°° 1200 Whse. CW 2200 500 6-40-Cy. °°-Mill Type 2-Pedestal bearing on case	100	750				
"-10-Cy. ""-Mill Type 2-Pedestal bearing on cast	100		Whan			596
	6					on cast
fron base, complete with REVERSING PRIMARY						
and MAGNETIC SECONDARY CONTROL.						

TRANSFORMERS (OIL-COOLED)

Qu.	K.V.A.	Make	Voltage	PH.	CY.
3.	25	Al. Ch.	2300-460/230	1	Sin
30	37.5	Whise	460/230-230/115	- 1	60
3	50	Al Ch	22000-220		6.0
2	50	Wagner	13206/11880-		
			575/287	- 1	60
14	100	G.E.	4830/4160-		
Liver			125/250	1	60
3	130	G.E.	19000/9500-		
			2206/550	- 1	60
3	1.50	Wagner	8800/4400-2300	-1	60
Ne					
3	667	GE	2300/4000V-460	1	6.0

T. B. MACCABE COMPANY. 4302 CLARISSA STREET PHILADELPHIA, PENNA.

Mechanical Tubing • Bundyweld Steel Tubing

BOILER AND PRESSURE TUBES

FROM STOCK, PLAIN OR FABRICATED

Write for Monthly Tube Stock Bulletin

SINCE 1845

Elizabeth, N. J. ELiz. 2-8182

A B MURRAY CO:NC Versailles, Pgh. I. McKeesport, Pa.

New York City COrtland 7-0116

Versailles, Pgh. Dist. McKeesport 9107

CRANES—FOR SALE—Bargains!

MILWAUKEE 5 ten; 25' span; 230 volts DC MILWAUKEE 5 ten; 37'2" span; 230 volts DC MILWAUKEE 04-ten; 36 span; 230 volts DC MILWAUKEE 25-ten; 34'4" span; 230 volts DC HARRISON MACHINERY EXCHANGE, Inc. So. 4th Street Harrison, N. J. HUmboldt 2-5750

ALBERT & DAVIDSON PIPE CORP. NEW-USED-UNTESTED

2nd Ave 50th 51st St. Est 1904 Brooklyn NY

Baron Steel Co. 4075 DETROIT AVE., TOLEDO 12, O. BARS · SHAPES · PLATES



STEEL PLATE
STRUCTURALS, PIPE,
TUBING, WIRE ROPE, TUBING, WIRE ROPE, FERROUS AND NON-

BOUGHT-SOLD LIQUIDATED

DULIEN STEEL PRODUCTS, Inc.

9265 E. Marginal Way + Seattle 8, Wash. • LAnder 6000

1—45" CUTLER-HAMMER MAGNET used Approx. 3 Months.
1—48" CANTON SHEAR equipped with 3 phase 220 or 440 Volt GE Motor for shearing auto body stock and other sheets. Practically new.

MICHIGAN FOUNDRY SUPPLY CO. 1352 Division St., Muskegon, Mich.

WE OWN AND OFFER

FOR IMMEDIATE DELIVERY

NEW PLAIN HOT ROLLED, ANNEALED MILD STEEL SHEETS

 Approx. 180 Tons—12 Gauge x 36" x 96" LOCATED IN NEW YORK

> NEW HOT ROLLED MILD STEEL PLATES

- Approx. 330 Tons—3/16" x 5' x 15' LOCATED IN NEW YORK
- Approx. 50 Tons—3/16" x 5' x 20' LOCATED IN BALTIMORE

We warrant all of the above to be new prime and mild steel, carbon not exceeding .12 max.

FABRIKANT

STEEL PRODUCTS, Inc.

50th Floor-Woolworth Bidg. NEW YORK 7, N. Y. - BEekman 3-3041

Cable Address: FABKANT, New York MEMBER: Association of Steel Distributors

SPEEDY, ASSEMBLY

For "streamline" assembly, coding, parts marking, use colorful printed, pressure-sensitive, cellophane tape. Quick, easy to apply, and time-saving. For more information, write to—

TOPFLIGHT TAPE COMPANY

THE IRON AGE, December 30, 1948-113

Inquiries for

Large Diameter Welded Pipe to API specifications

solicited by

KURT ORBAN CO., INC. 21 West St., N.Y.C.

on behalf of

STAHLUNION-EXPORT GMBH OF DUESSELDORF

FOR SALE **FREIGHT** CAR REPAIR PARTS RELAYING RAILS STEEL STORAGE TANKS

THE PURDY COMPANY

122 So. Michigan Avenue Chicago 3, Illinois

TRACK MATERIALS AND ACCESSORIES

CARRIED IN STOCK

SWITCH MATERIAL . SPIKES & BOLTS

TRACK TOOLS . TIES . TIE PLATES

BUMPERS . COMPLETE SIDE TRACKS

BUILDERS STEEL SUPPLY CO.

RAILS

NEW AND PELAVING

DEARBORN, MICH.



-Track Accessories BOUGHT - SOLD

Send as your inquiries and your offerings STANDARD



IRON & STEEL CO.

Knozville, Tenn. Phones—4-2559
P. O. Box 458—Western Union WuX 4-3605

FOR SALE

Wellman Engineering Co. single drum hoist, 10' in diameter, 7' face, 1 5/16" between peaks, 51/2" flange, 11/4" rope, 870' per minute complete with a 400 H.P. Westinghouse motor, 2200 volts, 3 phase, 60 cycle, 350 RPM, type HP and G. E. automatic control CR2124 for mine hoist service, 2200 volts, 400 H.P.

GAVENDA BROTHERS, INC.

352 South Second Avenue, Canton, Illinois Telephones 739 and 2438

New RAILS Relaying

We carry fregs, switches, spikes and belts in steck and most all sections of rails and track accessories.

M. K. FRANK

480 Lexington Ave., New York, N. Y. Park Building, Pittsburgh, Pa.

RELAYING RAIL

TRACK ACCESSORIES MIDWEST STEEL CORP.

Gen'l Off. CHARLESTON 21, W. VA.

CHARLESTON, W. VA.
KNOXVILLE, TENN. • PORTSMOUTH, VA.

FOR SALE

I—F-M 180 HP, vertical Diesel Engine Generator Set. For further information, write

BLAW-KNOX COMPANY 2002 Farmers Bank Building Pittsburgh 22, Penna.

ALUMINUM TUBING AND ROD FOR SALE

1200 lbs. tubing $\frac{1}{2}$ " 0.D, x .049" wall; rod 600 lbs. $\frac{1}{2}$ " 0.D., lengths 10-12 ft., analysis 24 ST; at a saving.

KIN-E-MATIC MACHINE ENG. CO. 6325 Schaefer Road, Dearborn, Michigan

EVERYTHING FOR THE TRACK FROM SWITCH TO BUMPER

SPECIAL OFFERING

We Offer

50,000 Good Used Creosoted Cross Ties IMMEDIATE SHIPMENT



NEW AND RELAYING

Track Accessories From

· Prompt Shipments

· Fabricating Facilities

Warehouses . Trackage Specialists

L. B. FOSTER CO.

NEW YORK CHICAGO HOUSTON PITTSBURGH SAN FRANCISCO

ADDRESS THE FOSTER OFFICE NEAREST YOU

SALE or RENT

-- 10-ton Huber 3-wheel Gas Roller, Hydraulle Steer -- MC-4 Lorain Mete Truck Crane. 1944. -- 205 Keehring Eas Shovel. -- 503 Keehring Diesel Dragline. 1942. -- 82 Lorain Diesel Combination Shovel and Crane. 1942.

I-93. H 855 Shovel, 2 yd. D-17000 Engine. 1946. 1-93-ten Vulcan Std. Ga. Diesel Lecometive. New 1938. 1-43-ten Ganeral Floring.

1938. -45-ton General Electric Diesel Electric Locomotive. 1940.

1940.

1-80-ton American 0-6-0 Saddie Tank Lecemotive.

-22½-ton Industrial Locemotive Crane. National Board Beller. Rebuilt.

-35-ton American Diesel operaton Locemotive Crane.
1947.

B. M. WEISS COMPANY

Girard Trust Co. Building Philadelphia 2, Pa. Rittenhouse 6-2311

LOCOMOTIVES

80 TON WHITCOMB DIESEL ELEC. LOCO. 65 TON G.E. DIESEL ELEC. LOCO. 45 TON PLYMOUTH DIESEL LOCO. 1—16 & 1—25 TON VULCAN GAS LOCOS.

R. C. STANHOPE 60 E. 42nd St., N. Y. 17, N. Y.

ACCUMULATOR-LOCOMOTIVES-MISC.

ACCUMULATOR—LOCOMOTIVES—MISC.

1—80UTHWARK 24" x 15" 15003 Assum., Mering
Ram, Latest Type—Like New.

1—80UTHWARK D78W Bench, 200 x 90 x 9".

1—DAVENPORT 45 Ten Diesel Ees. Loee. \$2377.

1—VULCAN 35 Ten Diesel Lees. 24246.

1—BALDWIN 50 Ten Steam Saddle Tank—36" g.

1—MERICAN 75 Ten St., Derrick—110" Basem.

1—PLYMOUTH 14 Ten 36" Ga. Gas Loee.

CHARLES DREIFUS CO.

P8F8 Bidg., Phila. Pa. Tel. WAInut 2-5656

UNUSUAL **OPPORTUNITIES**

can be found each week

in the

CLASSIFIED SECTIONS

THE IRON AGE

THE CLEARING HOUSE

RAILROAD EQUIPMENT-FOR SALE

STANDARD GAUGE

LOCOMOTIVES

2-12-Ton, 0-4-0, Gasoline, Plymouth 1-45-Ton, 0-4-0, G.E., Diesel-Electric, 300 HP

1—Well Car, 70-Ton, 40'4"
50—Gondola, All-Steel, 50-Ton, 38'2"
9—Gondola, 50-Ton, All-Steel, 40'6"
3—Gondola, All-Steel, 50-Ton, 40'3"
10—Flat Cars, 70-Ton, 41'6"
8—Flat Cars, 50-Ton, 41'6"
8—Flat Cars, 40-Ton, 60-Ft., 5/U
1—Flat Car, 50-Ton, 43-Ft., 5/U

Repair Parts

For

All Types of

Freight Cars

FROM PER

es

ND

ING

ories

ents

cilities cialists D. ISTON ISCO YOU'

ulle Stoor

nd Crane

ecometive.

motive. National

ve Crane.

a 2, Pa.

Y

S

MISC.

9°. #2377.

1 2-5050

S

eek

I-83-Ton, 2-6-2, Steam, Oil-Fired Saddle Tank

1-6-Ton, 0-4-0, Whitcomb, Diesel-Mechanical, 36" Gauge, New 1942

I-44-Ton, 0-440, S.E., Diesel-Electric, General Electric, 360 HP. ICC Condition I-42-Ton, 0-40, Coal-Fired, Steam, With Separate Tender. A BARGAINI

-8-Ton, 0-4-0, Whitcomb, Gasoline, 36" Gauge

CARS

4—Flat Cars, 50-Ton, 58-Ft., S/U
24—Dump, 20-Yd. Automatic Air, Lift Door
1—Dump, 16-Yd. Automatic Air, Lift Door
14—Passenger Cars, 64'6'', All-Steel
30—Hopper, Twin, All-Steel, 50-Ton
34—Ore Hopper, All-Steel, 50-Ton
50—Covered Concentrate Hopper Cars, 1021
Cu. Ft. Capacity, 50-Ton

SEND US YOUR INQUIRIES

IRON & STEEL PRODUCTS, INC. Founded 1930

13476 S. Brainard Ave., Chicago 33, Illinois
"ANYTHING containing IRON or STEEL" Phone: BAyport 1-3456

I-Tank, 3665-Gallon, Class II 5-Tank, 8000-Gallon, Class II & III 6,000 Gallon 8,000 Gallon 10,000 Gallon

STORAGE TANKS

EQUIPMENT WANTED

CONVEYOR

100' Steel Apron Feeder Conveyor with

or without motor and drive.

4—Box, 40-Ton, 40', Single Sheathed 24—Box, 40-Ton, 40', Double Sheathed 8—Box, 50-Ton, 50', All-Steel 4—Caboose, 8 Wheeled, S/U

3-Tank, 10000-Gallon, Class III

WANTED STEEL TUBING AND PIPE

Give full particulars including price.

WALLACK BROTHERS

7400 So. Damen Ave., Chicago 36, Ill. GROVEHILL 7474

WE BUY STEEL

ALL WIDTHS — TEMPERS — GAUGES COILS OR LENGTHS

SEABOARD STEEL COMPANY, INC. New Haven, Conn.

WEISS STEEL CO. INC.

600 WEST JACKSON BLVD. CHICAGO 6, ILLINOIS Buyers of Surplus Steel Inventories 30 Years of Steel Service

LOOKING FOR ...

BUSINESS OPPORTUNITIES?

NEED . . .

CONTACTS or CAPITAL?

Read the Classified Section of

THE IRON AGE

NAILS WANTED CARLOADS

2d, 3d, 4d, 5d, 6, 7d, 8d, 9d, 10d, 12d, 16d, 20d—Box, Common, Finish, Casing, Cement Coated, Nails, All Types and Sizes at low prices. F.O.B. MILL.

prices, F.O.S. MILL.
Also: Galv. Shingle, 3 T F.H.A. 14 gauge Box about 1/4" hd. Galv. Roofing %"—/5"—1"—11/4"—1½"—2"—(11) gauge—(7/16 head).

Galv. Sheets Bright Flat — Hot Rolled Sheets — Cold Rolled Sheets — Standard Sizes — Carload Lots — Will Pay Highest Prices. F.O.B. Mill —

20TH CENTURY HARDWARE COMPANY 1019 North La Cienega Boulevard West Hollywood, Los Angeles 46, Calif. Telephone—Crestview 5-4013

WANTED

TAPPING MACHINE POTTSTOWN OR EQUIVALENT

3 Spindle Preferred For Tapping 4" or Larger Plumbing Fittings

National Foundry Co.

10 Sandford St., Brooklyn, N. Y. Phone ULster 5-4233

NATIONAL FOUNDRY COMPANY 10 Sandford St., Brooklyn 5, N. Y. **ULster 5-4233**

> WANTED OVERHEAD CRANES LOCOMOTIVE CRANES LOCOMOTIVES RAILROAD CARS

STONE The Crane Man 415 Brainard Ave.

BUSINESS OPPORTUNITIES

Air Compressors Wanted

Horizontal Water Cooled-100 CFM or larger; also
Gasoline or Diesel Driven Portable
Machines

L. W. BAUER North Bergen, N. J.

WANTED

HOT ROLLED STRIP STEEL

3/16" x 7" 3/16" x 5½"
1/4" x 7" 1/4" x 81/4" 7/32" x 73/6"

Any quantity—low carbon—deep drawing quality

KEY COMPANY P. O. Bex 404, East St. Leuis, Illinois

-WANTED

EXPORT DISTRIBUTORSHIPS and ADDITIONAL SUPPLIERS

by

Kurt Orban Company, Inc. 21 West St., New York 6, N. Y.

We specialize in EXPORTING BASIC IRON & STEEL and related products

EMPLOYMENT SERVICE

SALARIED POSITIONS \$3,500-\$35,000. If you are considering a new connection communicate with the undersigned. We offer the original personal employment service (39 years recognized standing and reputation). The procedure, of highest ethical standards, is individualized to your personal requirements and develops overtures without initiative on your part. Your identity covered and present position protected. Send only name and address for details. R. W. BIXBY, INC., 274 Dun Bldg., Buffalo 2, N. Y.

SALARIED PERSONNEL \$3,000-\$25,000— This confidential service, established 1927, is ceared to needs of high grade men who seek a change of connection under conditions assuring, if employed, full protection to present position. Send name and address only for details. Personal consultation invited, JIRA THAYER JENNINGS, Dept. K, 241 Orange St., New Haven 10, Conn.

HELP WANTED

PURCHASING OFFICER

Large Industrial of high repute is in the market for top level Executive in charge of purchasing. Candidate should have had substantial experience in buying steel and steel products. A college man between the ages of 48 and 55. Salary would range between \$18,000 and \$25,000.

Please reply fully in writing. Interviews by appointment only.

MRS. E. E. BROOKE
Personnel Agency

41 EAST 42nd STREET NEW YORK 17, N. Y.

FIRST HELPER WANTED, In Basic Electric Melt Shop, Located in North Central Pa. Do not apply unless you have ambition and qualifications for advancement to melter. Address Box F-834, Care The Iron Age, 100 E. 42nd St., New York 17.

REPRESENTATIVES WANTED

ESTABLISHED manufacturers' agents for patented mechanical jack that lays underground pipe with absolute precision without digging ditch, disturbing pavement or floor. Substantial market with oil companies, utilities, waterworks, municipals, railroads, mines, industrials, plumbers, electricians. Rugged. Foolproof. Cheaper and superior to hydraulic outfits. Shipments now. J. A. POSTELL, 936 W. Peachtree St., N.W., Atlanta 3, Ga.

SITUATIONS WANTED

MACHINE SHOP SUPERINTENDENT. Twenty years experience, first class mechanic and knows how to get results. Address Box F-812, care The Iron Age, 100 E. 42nd St., New York 17. HELP WANTED

HELP WANTED

FACTORY MANAGER MECHANICAL SPRING EXPERIENCE SALARY \$12,000

Medium size spring company in business over 25 years, wants a top notch man thoroughly familiar with Torrington and Sleeper & Hartley Coilers; also wire forming machines in general. Must have sound business judgment, ability to handle Factory and Engineering operations, with complete responsibility. Factory located in New York. All replies held strictly confidential. Please give complete information as to background.

ADDRESS BOX F-792

Care The Iron Age, 100 E. 42nd St., New York 17

SITUATIONS WANTED

PLANT MANAGER: VERY EXTENSIVE EXPERIENCE IN MACHINE CONSTRUCTION, METAL FABRICATION, ASSEMBLY, AND FINISHING. UNUSUAL COMBINATION OF PRACTICAL SHOP TRAINING AND COLLEGE EDUCATION. THOROUGHLY FAMILIAR WITH ESTIMATING, ENGINEERING. PERSONNEL. AND ALL PHASES OF PRODUCTION. ADDRESS BOX F-827. CARE THE IRON AGE, 100 E. 42ND ST., NEW YORK 17.

WORKS MANAGER—MANAGER OF IN DUSTRIAL RELATIONS. Excellent record in management. Experienced in melting, steel castings, forging, rolling, machining stamping; supervision of personnel work, foreman training, incentive plans, time study and production engineering. Address Box F-754, care The Iron Age, 100 E. 42nd St., New York 17.

MANUFACTURING EXECUTIVE—Eighteen years well rounded experience. Industrial engineering background. Age 39. Now in Chicago, prefer smaller community. Full information to responsible parties. Address Box F-815, care The Iron Age, 100 E. 42nd St., New York 17.

GENERAL MANAGER, age 45, excellent record, Sales, Engineering Management, Production, Accounting and Finance. Experienced in the manufacture many kinds light and heavy machinery. Address Box F-828, Care The Iron Age, 100 E. 42nd St., New York 17.

DROP FORGING SALES MANAGER, twenty-five years' experience sales and production. Wide acquaintance with buyers middle west. Proven ability. Available January first. Address Box F-825, care *The Iron Age*, 100 E. 42nd St., New York 17.

METALLOGRAPHER—5½ years testing, heat-treating alloy, carbon steels. Master's two-thirds completed, Stevens, metallurgy. New York-Newark area. Address Box F-826, Care Tron Age, 100 E. 42nd St., New York 17.

RATES FOR EMPLOYMENT SERVICE, HELP, REPRESENTATIVES, ACCOUNTS AND SITUATION WANTED ADS

To insure insertion copy should be in our hands 10 days in advance of issue.

Employment Service Rates
Help Wanted Rates
Representatives Wanted Rates
Accounts Wanted Rates

DUNT SEVEN WORDS FOR KEVED ADDRES

COUNT SEVEN WORDS FOR RETED ADD	HE SS
Set solid—50 words or less	
All capitals—50 words or less	\$10.00
All capitals, leaded—50 words or less	

Situation Wanted Rates

Situation Wanted Ads

Set	solid-25 words or less\$2.00
	Each additional word 8c
All	capitals—25 words or less\$3.00 Each additional word 12c
All	capitals, leaded—25 words or less\$4.00 Each additional word 16c

Display Advertising Rates Given on Request

DO NOT SEND cash through the mail. Use money order or check. DO NOT SEND ORIGINAL letters of recommendation in reply to advertisements—Copies will serve the purpose. Replies forwarded without charge.

116-THE IRON AGE, December 30, 1948

ADVERTISERS IN THIS ISSUE

ICE

inging

ra-I in

ase

SERVICE, CCOUNTS ADS

Rates
tes
D ADDRESS

\$ 8.00 16c \$10.00 20c ess \$12.00 24c

ates

\$2.00 8c \$3.00 12c \$5 \$4.00 16c

on Request

Use money AL letters of Copies will hout charge.

A	Continental Salvage & Machinery	Goss & DeLeeuw Machine Co 102
Agran Machinery Co., Inc 108	Corp	Gould Storage Battery Corp. 49
Acme Foundry Co	Cutler-Hammer, Inc. Back Cover	Great Lakes Steel Corp. 51
	Carter-Hammer, Inc.	Greene Mfg. Co., Inc. 102
Asiana same, and management		Griffin Manufacturing Co. 102
Albert & Davidson Pipe Corp	D	
Allegheny Ludlum Steel Corp. 70		
Allis-Chalmers Mfg. Co	Diamond Manufacturing Co	н
American Air Compressor Corp	Donahue Steel Products Co., Inc. 110	H and P Die & Stamping Co., The 104
American Petrometal Corp 102	Dony, D. E. Machinery Co 108	Hahn & Brandt Machinery Co. 112
American Society For Metals	Dreifus, Charles Co	Harnischfeger Corp
Armel, James P	Dreis & Krump Mfg. Co. 103	Harrison Machinery Exchange, Inc. 110, 113
	DuLien Steel Products, Inc. 113	Hawkins & Co
		Hayward Company, The 104
В		Hill Acme Co., The
Baldt Anchor Chain & Forge Div. Bos-	E	Hill Clarke Machinery Co
ton Metals Co	Eastern Machine Screw Corp., The 105	Hindley Manufacturing Co 102
Barium Steel Corp., The	Eastman Kodak Company 57	Hobart Brothers Co
Baron Steel Company	Electric Equipment Co. 112	Hubbard, M. D. Spring Co 100
Bauer, L. W	Emerman Machinery Corp. 108	Hyman, Joseph, & Sons
Belyea Co., Inc	Espen-Lucas Machine Works, The 102	
Bennett Machinery Co. 107	Espen-Lucus Mocnine Works, The 102	
Bethlehem Steel Co		4
Bixby, R. W., Inc	F	
Blaw-Knox Co. 108, 114		Inland Steel Co 26
Boiardi Steel Corp. 104	Fabrikant Steel Products, Inc. 113	Iron & Steel Products, Inc
Boynton, A. J. & Co	Fairbanks, Morse & Co	
Browning, Victor R. & Co., Inc 104	Fellows Gear Shaper Co., The 105	
Builders Steel Supply Co	Foster, Frank B., Inc. 107	J
Bullard Co., The	Foster, L. B., Co	Jennings, Jira Thayer
By-Products Steel Co., Div. of Lukens	Frank, M. K	
Steel Co		
	2	K
	G	
С	Galbreath Machinery Co	Kearney & Trecker Corp. 6, 7
	Gavenda, B., Inc	Key Co
Cattie, Joseph P. & Bros. 103	General Electric Co., Apparatus Dept.	Keystone Steel & Wire Co
Champion Electric Motor Co. 112	16, 21, 81, 82, 84	Kidde, Walter & Co., Inc.
Cleveland Steel Tool Co., The	General Steel Warehouse Co., Inc. 15	Kin-E-Matic Machine Engineering Co. 114
Cleveland Worm & Gear Co., The	Gisholt Machine Co	Kinnear Manufacturing Co., The 81
Inside Front Cover	Glidden Co., The	Knox, Earl E. Co
Commonwealth Brass Corp	Goodman Electric Machinery Co 112	Krasilovsky, Mike, Inc

ADVERTISERS IN THIS ISSUE

L	O'Connell Machinery Co	U
Land, L. J., Inc	Ohio Locomotive Crane Co., The 102 Orban, Kurt Co., Inc	Union Pacific Railroad Co
Leeds & Northrup Co	P Payne, N. B. & Co., Inc	V V & O Press Co
М	φ	Victor Machinery Exchange, Inc 108 Vima Lert Co., Ltd., The
MacCabe, T. B. Co	R Reliance Steel Div., Detroit Steel Corp. 55 Remington-Rand, Inc	Wallack Bros. 115 Webb Wire Works, The. 102 Weiss, B. M. Co. 114 Weiss Steel Co., Inc. 115 West Penn Machinery Co. 108 Western Wire Products Co. 104 Wetherell Bros. Co. 104 Wheland Co., The. 103 Wisconsin Electric Power Co. 112 Wittek Manufacturing Co. 85 Worcester Stamped Metal Co. 105
National Foundry Co	Standard Iron & Steel Co	CLASSIFIED SECTION
National Steel Corp. 51 New Jersey Zinc Co., The 4 Nilson, A. H. Machine Co. 102 Northern Engineering Works 20	Steel Processing Corp	Business Opportunities
0	Topflight Tape Co	blies Made to Order

See First and Third Issues

STILL THE ALL-AMERICAN FIRST

Front Cover

CTION

Third Issues

Master Gearmotors have given more millions of hours of satisfactory service in the field than all other makes . . . COMBINED.



THE MASTER ELECTRIC COMPANY - DAYTON 1, OHIO

or the advantages of Special Engineering



There is no substitute for experience in practical engineering, and users of motor control who want utmost dependability, motor performance and freedom from trouble in STANDARD manual starters, call for Cutler-Hammer 9115. For this starter is heir to all the special engineering knowledge gained by Cutler-Hammer engineers in contact with all the control problems of all industry which qualified observers say has no equal.

It was this *special* engineering experience that created the famed Cutler-Hammer "Eutectic Alloy" Overload Relay unequalled for its exact calibrated protection of small motors. It is STAND-ARD in C-H 9115.

It was special experience with BIG control that enabled C-H engineers to de-

velop their now famous vertical dust-safe contacts for SMALL starters. This construction is STANDARD in C-H 9115.

So with all other features of C-H 9115 Manual Starter. Broad experience teaches you things you learn in no other way, and control users who want the utmost in manual starters have thus learned to insist on C-H 9115 and refuse all substitutes. CUTLER-HAMMER, Inc., 1325 St. Paul Ave., Milwaukee 1, Wisconsin. Associate: Canadian Cutler-Hammer, Ltd., Toronto, Ont.



OPERATING MECHANISM—Available as skeleton for building into machines, etc. Metal parts rust-proof. Rubber mounting absorbs shocks. Mechanism removable as unit by loosening one screw—for wiring, etc. Parts and terminals easily accessible.

COVER—"Hook-on" type. Loosening one screw permits lifting off from front. Permits close-fit installation.

CASE—Modern styling and design. Standard NEMA type 1 enclosure. 8 x 4 3/4 x 4. Japanned steel. Cover can be padlocked. Knockouts top and bottom. Ample space, complete accessibility.

CONTACT STRUCTURE—Designed for compactness, simplicity, strength and accessibility. Unit base construction easily removed. Positive make, quick-break, twin-break silver-to-silver contacts mounted an unit base.

OVERLOAD RELAY—Famous C-H
"eutectic alloy" thermal overload relay, most dependable known. Reset by pushing stop button. Freetripping. Rating changed by changing heater coils.

PUSH BUTTON OPERATION— An achievement for this type of starter. Has start, stop-and-over-load reset buttons. Can be locked to prevent unauthorized operation.

DETAILS—Your attention is called to numerous important details such as self-finding terminal screws. unique staking of cover screw, handy spring lifters on movable contacts, etc., etc. fanism for building al parts rustng absorbs ovable as a screw—for d terminals

pe. Loosens lifting off se-fit instal-

and design.

1 enclosure.

steel. Covertockouts top

ce, complete

— Designed ity, strength base cond. Positive n-break silnounted on

amous C-H al overload known. Retton. Freed by chang-

ATION nis type of p-and-overbe locked operation.

n is called details such al screws, crew, handy le contacts,